

# FLUIDS & MARKERS

Hazardous materials shipments are subject to governmental regulation and must comply with the Department of Transportation Hazardous Materials Regulations, Title 49 of the Code of Federal Regulations and United Parcel Service Hazardous Materials Service rules. All shipments of chemicals and fluids are subject to these regulations.

The Shipping Code identifies the shipping methods allowed and if surcharges are applicable. Surcharges are in addition to UPS freight charges and are subject to change. Hazardous materials cannot be shipped in the same container with non-hazardous materials and cartons cannot be bound together. Hazardous materials will not be shipped via air.

All small package shipments of chemicals and fluids with a shipping code will be shipped via UPS prepaid and add, collect, or third party.

## Shipping codes

- 1 UPS Ground - Hazmat Surcharge applies per box  
No Air Shipments
- 2 UPS Ground - No Surcharge  
No Air Shipments
- 3 Commercial Truck Only, Call for Charges
- 4 UPS Ground - Additional Charges Apply  
No Air Shipments

Anti-Seize . . . . .	503
Cleaners . . . . .	490-493
Coatings . . . . .	488, 506-507
Coolants . . . . .	505
Corrosion Preventatives . . . . .	495
Cutting Fluids . . . . .	504
Degreasers . . . . .	494
Etching Kits . . . . .	488
Fault Finder . . . . .	489
Grease . . . . .	499
Layout Fluids & Stains . . . . .	489
Lubricants . . . . .	497-499
Markers . . . . .	485-487
Oils . . . . .	500
Paint . . . . .	508
Penetrants . . . . .	496-497
Pipe Compound & Tape . . . . .	501
Sealants . . . . .	501
Threadlockers . . . . .	502

**DYKEM**  
LAYOUT FLUIDS & MARKERS

**RUST-OLEUM**  
INDUSTRIAL BRANDS  
PAINTS

**Markal**  
MARKERS & ANTI-SEIZE

**GUNK**  
DEGREASERS & CLEANERS

**RELTON**  
CUTTING FLUIDS

**Liquid WRENCH**  
LUBRICANTS

**TAP MAGIC**  
CUTTING FLUIDS

**Kool Mist**  
COOLANTS

**simple green**  
INDUSTRIAL CLEANERS/  
DEGREASERS

**NEVER-SEEZ**  
Anti-Seize & Lubricating Compound  
ANTI-SEIZE &  
LUBRICATING COMPOUNDS

**CRC**  
CLEANERS, LUBRICANTS &  
PROTECTANTS

**Etch-O-Matic**  
ETCHING KITS

**Performix**  
COATINGS & REPAIRS

**CROWN**  
LUBRICANTS, INKS,  
PAINTS & CLEANERS

**PRECISION BRAND**  
COATINGS

# Markers

**DYKEM®** 2

## Brite-Mark® Paint Markers



- Permanently marks on metal, rubber, plastic, glass, concrete, stone, vinyl, & more
  - Valve action mechanism prevents paint in barrel from drying when cap is left off
  - Replaceable felt tips assure complete use of paint in each marker
  - Ideal for color coding • Drying time: 25-35 seconds • Case quantity: 24
- Shipping Code: 2

COLOR	MEDIUM TIP ORDER NO.	PRICE EACH	FINE TIP ORDER NO.	PRICE EACH	44 TIP ORDER NO.	PRICE EACH
Black	9520-616	\$3.10	9520-622	\$2.70	9522-003	\$3.58
White	9520-617	3.10	9520-623	2.70	9522-006	3.58
Blue	9520-615	3.10	9520-626	2.70	9522-001	3.58
Light Blue	9520-635	3.10	-	-	-	-
Yellow	9520-618	3.10	9520-624	2.70	9522-005	3.58
Orange	9520-619	3.10	9520-627	2.70	9522-007	3.58
Red	9520-620	3.10	9520-625	2.70	9522-002	3.58
Green	9520-621	3.10	9520-628	2.70	9522-004	3.58
Pink	9520-636	3.10	-	-	-	-
Violet	9520-637	3.10	9520-631	2.65	-	-
Silver	9520-638	3.10	-	-	9522-009	3.58
Gold	9520-639	3.10	9520-629	2.65	-	-
Brown	9520-640	3.10	-	-	-	-

## Rinz-Off® & Sudz-Off® Removable Markers



- Rinz-Off® marks rinse off of untreated metal with water
  - Sudz-Off® marks are removable with a detergent of pH 10 or higher
  - No ghosting or bleed-through of removed mark when painted over
  - Ideal for quality control, part assembly, identification, site inspection, and more
  - Drying time: 45 seconds-1 minute • Will not react with paint systems
- Shipping Code: 2

COLOR	RINZ-OFF ORDER NO.	PRICE EACH	SUDZ-OFF REG. ORDER NO.	PRICE EACH	SUDZ-OFF BROAD ORDER NO.	PRICE EACH
Blue	9522-265	\$3.98	9522-278	\$3.37	9522-249	\$3.98
Red	9522-266	3.98	9522-279	3.37	9522-250	3.98
Green	9522-267	3.98	9522-276	3.37	9522-247	3.98
Black	-	-	9522-280	3.37	9522-251	3.98
White	-	-	9522-275	3.37	9522-246	3.98
Yellow	-	-	9522-277	3.37	9522-248	3.98

## High Temperature Texpen®



DYKEM® High Temperature TEXPEN® has a stainless steel-ball valve action tip and heavy viscosity, oil-based paint that is specially formulated for non-porous surfaces that reach temperatures up to 2000° F/1093°C. Marks become permanent and fused when heated. **Shipping Code: 2**

COLOR	TEMP. RANGE	MEDIUM TIP ORDER NO.	PRICE EACH	FINE TIP ORDER NO.	PRICE EACH
Black	2000°F	9522-137	\$5.87	9522-127	\$5.87
Yellow	800-900°F	9522-139	5.87	-	-
White	800-900°F	9522-140	5.87	9522-130	5.87

## High Purity Texpen® & Action Markers

The DYKEM® High Purity TEXPEN® contains trace amounts of halogens, low melting metals and very low in chlorides. Therefore, its stainless steel-ball valve action tip can be used on surfaces where degradation, contamination or adverse effects are not desired.

DYKEM® High Purity Action Markers use dye and pigment-based ink with a valve action fiber tip that will write on smooth surfaces. **Shipping Code: 2**

## Texpen® & Dalo® Markers



- Marker will easily mark through oil and grease
- Paint flow is controlled by the bulb at the end of the barrel
- Drying Time: 25-35 minutes **Shipping Code: 2**

## Texpen®

COLOR	MEDIUM TIP ORDER NO.	PRICE EACH	FINE TIP ORDER NO.	PRICE EACH	BROAD TIP ORDER NO.	PRICE EACH
Blue	9522-025	\$4.34	-	-	-	-
Red	9522-026	4.34	9522-016	\$4.34	9522-036	\$4.34
Black	9522-027	4.34	9522-017	4.34	-	-
Green	9522-028	4.34	9522-018	4.34	-	-
Yellow	9522-029	4.34	9522-019	4.34	9522-039	4.34
White	9522-030	4.34	9522-020	4.34	9522-040	4.34
Orange	9522-031	4.34	-	-	-	-

## Dalo® - Extra Large Capacity



- Writes through oil, grease and underwater without losing legibility or brightness.
  - Write on any surface including metal, plastic, glass, concrete, rubber and more
  - Drying Time: 25-35 minutes
- Shipping Code: 2

COLOR	MEDIUM TIP ORDER NO.	PRICE EACH	BROAD TIP ORDER NO.	PRICE EACH
Blue	9522-055	\$5.50	9522-065	\$5.50
Red	9522-056	5.50	-	-
Black	9522-057	5.50	9522-067	5.50
Green	9522-058	5.50	-	-
Yellow	9522-059	5.50	9522-069	5.50
White	9522-060	5.50	9522-070	5.50
Orange	9522-061	5.50	-	-

## Brite-Mark H<sub>2</sub>O® Markers



- Vibrant colors • Excellent opacity • Xylene Free
- Low odor • Low VOC • High flash point >212° F

COLOR	BM-H <sub>2</sub> O ORDER NO.	PRICE EACH
White	9522-301	\$3.29
Green	9522-305	3.29
Yellow	9522-303	3.29

## High Temperature Action Markers®



- High Temp. Action Markers use a pigmented, oil-based fiber tip that are specially formulated for non-porous surfaces that can reach temperatures of up to 2000°F/1093°C.
- Marks become permanent and fused when heated.

Shipping Code: 2

COLOR	TEMP. RANGE	AM 44 ORDER NO.	PRICE EACH
Blue	2000°F	9522-241	\$5.29
White	1550-1650°F	9522-242	5.29
Black	2000°F	9522-243	5.29
Green	1800°F	9522-244	5.29
Yellow	800-900°F	9522-245	5.29



COLOR	TXP MED. TIP ORDER NO.	PRICE EACH	AM 33 ORDER NO.	PRICE EACH	AM 44 ORDER NO.	PRICE EACH
Red	-	-	9522-206	\$5.57	9522-236	\$6.04
Yellow	-	-	-	-	9522-240	6.04
Blue	-	-	-	-	9522-238	6.04
White	9522-100	\$6.59	9522-209	5.57	9522-239	6.04
Black	-	-	9522-207	5.57	9522-237	6.04

# Markers

Markal® 2

## Valve Action® Paint Marker



- Paint formulated for industrial applications.
- Dries in minutes, weather-resistant marks.
- Lead-free.
- Ideal for all surfaces: metal, glass, wood, rubber, plastic, cardboard, and paper.
- Replaceable valve-action fiber tip assures full use of marker.
- Available in 14 vivid colors for color coding.
- Typical uses: metal and PVC pipe, sheet metal, cartons, lumber, signs, and tires.
- Marking range: -50°F. to 150°F.

PACKAGE QUANTITY: 1 CASE QUANTITY: 48  
SHIPPING CODE: 2

COLOR	ORDER NO.	PRICE EACH
White	6496-820	\$3.03
Yellow	6496-821	3.03
Red	6496-822	3.03
Black	6496-823	3.03
Orange	6496-824	3.03
Blue	6496-825	3.03
Green	6496-826	3.03
Aluminum	6496-832	3.03
Lt. Blue	6496-835	3.03
Purple	6496-817	3.03
Brown	6496-809	3.03
Gold	6496-827	3.03
Flr. Yellow	6497-050	3.03
Flr. Green	6497-051	3.03
Flr. Orange	6497-052	3.03
Flr. Pink	6497-053	3.03
Inv. Blue	6497-054	3.03
Lt. Green	6496-828	3.03
Pink	6496-830	3.03

## PRO-LINE® Paint Marker



- Available in Fine (2mm) & Micro (1mm) tip sizes for ultimate precision.
- Ideal for metal, also suitable for wood, glass, plastic, rubber, and other surfaces.
- High-Strength, lightweight barrel for industrial use.
- Xylene-free for less odor.
- Self-storing cap with integrated pocket clip.
- Ergonomic design for comfortable extended use.

SHIPPING CODE: 2  
PACKAGE QUANTITY: 1  
CASE QUANTITY: 48

### Micro Line (1mm)

COLOR	ORDER NO.	PRICE EACH
White	6496-888	\$3.16
Yellow	6496-889	3.16
Black	6496-890	3.16
Red	6496-891	3.16

### Fine Line (2mm)

COLOR	ORDER NO.	PRICE EACH
White	6496-871	\$3.16
Yellow	6496-872	3.16
Black	6496-873	3.16
Red	6496-874	3.16
Blue	6496-875	3.16
Green	6496-876	3.16
Orange	6496-877	3.16
Pink	6496-878	3.16
Lt. Green	6496-879	3.16

## PRO-MAX® Paint Marker



- Super-sized 1/2" nib for highly visible marks.
- High strength, lightweight barrel for industrial use.
- Ideal for identification, fill-in marking, signage, safety marking on any surface. • Xylene-free for less odor.

PACKAGE QUANTITY: 1 CASE QUANTITY: 24  
Shipping Code: 2



COLOR	ORDER NO.	PRICE EACH
White	6490-900	\$7.69
Yellow	6490-901	7.69
Red	6490-902	7.69
Black	6490-903	7.69
Orange	6490-904	7.69
Blue	6490-905	7.69

## PRO-LINE® XT



- Mark Size: 1/8" (3 mm)
- Engineered for continuous and highly-visible marking on rough, rusty, and dirty surfaces
- Enamel paint for extreme durability and enhanced wear/weather/chemical-resistance
- Xylene-free paint reduces user health risks and eliminates California Proposition 65, EPS HAPS, and SARA 313 concerns in the U.S.A.
- Marking range: -50°F to 150°F (-46°C to 66°C)

Shipping Code: 2  
PACKAGE QUANTITY: 1  
CASE QUANTITY: 48

COLOR	ORDER NO.	PRICE EACH
White	6497-250	\$3.47
Yellow	6497-251	3.47
Red	6497-252	3.47
Black	6497-253	3.47

## DURA-INK® #55 Med. Taper Chisel



- Ergonomic design for extended use
- Ink formulated for industrial strength usage
- Versatile tapered chisel tip for 1/16" and 3/16" marks
- Long mileage, economical
- Smear-resistant, water-resistant, fast drying
- Marks on cardboard, ceramics, paper, lumber, cloth, glass, rubber, and steel
- Durable cap w/pocket clip and plastic barrel for industrial use

PACKAGE QUANTITY: 1 CASE QUANTITY: 48

COLOR	ORDER NO.	PRICE EACH
Red	6496-528	\$1.34
Black	6496-529	1.34
Blue	6496-530	1.34
Green	6496-531	1.34

## DURA-INK® #200 Broad Chisel Tip



- Extra wide chisel tip for 5/8" and 3/8" marks
- Jumbo ink supply for greater mileage
- Use on cardboard, wood, metal, paper, ceramics, glass, and leather.
- For identification of equipment, signs, and marking shipping cartons
- Durable cap and barrel for heavy-duty use

PACKAGE QUANTITY: 1 CASE QUANTITY: 24

COLOR	ORDER NO.	PRICE EACH
Green	6496-914	\$3.18
Blue	6496-915	3.18
Red	6496-916	3.18
Black	6496-917	3.18

## DURA-INK® #15 Fine Bullet Tip

- Ideal for fine line marking. • Extra tough tip, won't spread or mush.
- Smear-resistant, water-resistant, fast drying.
- Marks on metal, wood, cardboard, paper, plastic, glass, etc.
- For identification of parts, layout work, and marking cartons and crates.
- Available on blister card for point-of-purchase display.
- Meets U.S. Fed. Spec. TT-1-544.

PACKAGE QTY.: 1 CASE QTY.: 12



COLOR	ORDER NO.	PRICE EACH
Red	6496-022	\$0.95
Black	6496-023	0.95

COLOR	ORDER NO.	PRICE EACH
Blue	6496-025	\$0.95
Green	6496-026	0.95

## DURA-INK® #20 Bullet Tip



- Mark Size: 1/16" (1.5 mm) • Xylene-free formula for safe use
- One-handed, push button operation eliminates lost caps and prevents ink dryout
- Fast-drying, wear and water-resistant formula for long-lasting marks
- Industrial-grade fine bullet tip will not spread or mush
- Auto-storing clip instantly retracts tip to reduce mess or tip damage

## DURA-INK® #25 Medium Chisel Tip



- Broad tip for bold marks. • Extra large ink supply for greater mileage.
- Use on cardboard, wood, metal, paper, ceramics, glass, and leather.
- For identification of equipment, marking shipping cartons, and sign making.
- Heavy-duty metal barrel.
- Meets Fed. Spec. TT-1-544.

PACKAGE QTY.: 1 CASE QTY.: 48

COLOR	ORDER NO.	PRICE EACH
Red	6496-222	\$2.18
Black	6496-223	2.18



# Markers

## H® Paintstik®

- Highly visible marking for hot surfaces.
- Mark hot coils, slabs, billets, bars, ingots, etc.
- Marks will not run, char, discolor, peel or crack.
- Long-lasting, weather-resistant, fade-resistant.
- Unit packaging: 144 of a single color to a case. Plus 1-#100 holder.
- Marking range: 150°F. to 1200°F.

COLOR	ORDER NO.	PRICE/ CASE
White	6481-020C	\$178.38

CASE QUANTITY: 144  
SOLD IN CASE QTY. ONLY

## HT® Paintstik®

- Ideal for hot coils, slabs, billets, castings or other metals under higher temperature marking conditions.
- The marks will not run, char, discolor, peel or crack.
- Long-lasting, weather-resistant, fade-resistant.
- Unit packaging: 144 of a single color to a case. Plus 1-#100 holder.
- Marking range: 250°F. to 1600°F.

3/8" x 4-1/2"

COLOR	ORDER NO.	PRICE/ CASE
White	6481-220C	\$176.46

CASE QUANTITY: 144  
SOLD IN CASE QTY. ONLY

## Paintstik® Holder

- For use with Markal H® and HT® hot surface solid paint markers.
- Durable holder prevents breakage, protects marker during use and ensures long marking life

4" Wooden Holder #100 Order No. 6485-500 Price Each \$2.62

## M® Paintstik®

- Marks withstand quenching in water or oil.
- For welds, ingots, castings, forging, annealed parts.
- Unit packaging: 12 of one color to a box.
- Marking at room temperature; withstands 1600°F.



11/16" x 4-3/4"

COLOR	ORDER NO.	PRICE/ PKG.	COLOR	ORDER NO.	PRICE/ PKG.
White	6481-920	\$22.62	Red	6481-922	\$22.62
Yellow	6481-921	22.62	Black	6481-923	22.62

PACKAGE QUANTITY: 12 CASE QUANTITY: 144

## WS-3/8"® Paintstik®

- Temporary cold marking-water soluble for easy removal.
- Small diameter for finer marking.
- Mark acrylic plastic plotting boards, plastic parts, glass, painted metal, sheet steel, polished aluminum, car bumpers and exotic metals.
- Unit packaging: 36 of one color to a box.
- Marking range: -50°F. to 150° F.

PACKAGE QUANTITY: 12 CASE QUANTITY: 144



3/8" x 4-1/4"

COLOR	ORDER NO.	PRICE/ PKG.
White	6482-420	\$18.70
Yellow	6482-421	18.70
Red	6482-422	18.70
Black	6482-423	18.70

## PRO-EX® Lumber Crayons

- The clay-based "feel" that high-volume users prefer
- Superior performance on wet wood
- Stronger formula for reduced breakage
- Standard 1/2" hex shape fits the #109 Peterson holder, also #106 & #108 holders • Marking range: -20°F to 130°

PACKAGE QUANTITY: 12 CASE QUANTITY: 144



COLOR	ORDER NO.	PRICE/ PKG.
Yellow	6480-381	\$10.15
Red	6480-382	10.15
Black	6480-383	10.15
Blue	6480-385	10.15

## Lumber Crayon Holders

6" Heavy-Duty Metal Holder #108  
Order No. 6485-400 Price Each \$14.53

5" Double End Locking Holder #106  
Order No. 6485-401 Price Each \$15.76



## Carpenter's Pencils

Markal medium carpenter pencils are premium quality wood-cased pencils ideal for marking wood, concrete, and other surfaces.  
Order No. 6496-928 Price Each \$0.71



# Markal®

## B® Paintstik®

- All-purpose, cold surface marker.
- Real paint in stick form, dries overnight.
- Marks on any surface or material.
- Marks through oil and water film.
- Weather-resistant and fade-resistant.
- Ideal for layout, inspection or fabrication.
- Lead-free.



11/16" x 4-3/4"

- Marks on metal, wood, plastic, concrete, rubber, glass, cardboard and paper.
- Unit packaging: 12 of one color to a box.
- Marking range: -50°F. to 150° F.

COLOR	ORDER NO.	PRICE/ PKG.
White	6480-220	\$11.59
Black	6480-223	12.63
Yellow	6480-221	12.15
Red	6480-222	12.63
Orange	6480-224	12.63

PACKAGE QUANTITY: 12

COLOR	ORDER NO.	PRICE/ PKG.
Blue	6480-225	\$12.63
Green	6480-226	12.63
Pink	6480-227	12.63
Purple	6480-228	12.63
Brown	6480-229	12.63

CASE QUANTITY: 144

COLOR	ORDER NO.	PRICE/ PKG.
Gray	6480-230	\$12.63
Gold	6480-231	43.16
Aluminum	6480-232	22.38
Silver	6480-233	22.38

## Quik Stik® & Quik Stik® Mini



- Fast-drying, vibrant paint marks dry in 5 to 7 minutes
- Marks on virtually any surface: wet, smooth, rough, or hot
- Airtight, self-storing cap keeps the marker clean and fresh between uses
- Weather- and UV-resistant paint for long-lasting mark
- Solid paint marker advances and retracts by turning twist-up knob
- Marking range: 0°F to 392°F (-18°C to 200°C)

### Quik Stik®

COLOR	ORDER NO.	PRICE EACH
White	6461-051	\$5.11
Yellow	6461-053	5.11
Red	6461-049	5.11
Black	6461-050	5.11

PACKAGE QUANTITY: 1  
CASE QUANTITY: 72

### Quik Stik® Mini

COLOR	ORDER NO.	PRICE/ EACH
White	6461-126	\$2.35
Yellow	6461-127	2.35
Red	6461-128	2.35
Black	6461-129	2.35

PACKAGE QUANTITY: 1  
CASE QUANTITY: 48

## Railroad Chalk

- Ideal for making temporary marks on most surfaces.
- Marks on metal, wood, concrete, cardboard, rubber, plastic, etc.
- Easy-to-hold 4" x 1" tapered shape makes broad, easy-to-read marks.



PACKAGE QUANTITY: 144 CASE QUANTITY: 576

COLOR	ORDER NO.	PRICE/ PKG.
White	6480-500	\$38.36
Yellow	6480-501	38.36
Red	6480-502	38.36
Blue	6480-505	38.36
Green	6480-506	38.36

## Soapstone Markers

- For temporary marking of metal surfaces during fabrication operations.
- Made of all natural soapstone for superior marking.
- Marks will not contaminate welds and are easily removed.
- Available in flat, round and square shapes.
- Holders available for the flat and round sizes.



### SOAPSTONE MARKERS

SIZE	ORDER NO.	PRICE/ PKG.
5 x 1/2 x 3/16 Flat	6480-129	\$32.61
5 x 1/4 Round	6480-130	32.61
5 x 1/4 x 1/4 Sq.	6480-131	32.61

PACKAGE QTY: 144 CASE QTY: 432

### HOLDERS FOR SOAPSTONE MARKERS

SIZE	ORDER NO.	PRICE EACH
5 x 1/2 x 3/16 Flat	6480-140	\$3.37
5 x 1/4 Round	6480-141	4.96

PACKAGE QTY: 1 CASE QTY: 12

## Thermomelt® HEAT STIK

- Accurate to ±1% rated temperature.
- Meets ANSI/ASME Code B32.1, B31.3, AWS D1.1, ASME Code Sec. I, II, III, & VII, NIST traceable.
- 33% bigger and stronger, same proven reliability. Industry's longest-lasting heat stick by design.
- Gravity advance holder protects stick, and prevents slipping back inside.
- Melts instantly when surface reaches rated temps.
- Other temps available in package quantities.



TEMPERATURE °F	°C	ORDER NO.	PRICE EACH
200	93	6486-517	\$10.12
250	121	6486-562	10.12
300	149	6486-625	10.12
350	177	6486-697	10.12
400	204	6486-733	10.12
500	260	6486-805	10.12

PACKAGE QTY: 1 CASE QTY: 12



## Coatings & Marking Kits



### ABC Blackener® [2]

- A cosmetic blackener for most non-ferrous metals
  - ABC Blackener® works on aluminum, brass, and copper
  - Once quart of ABC Blackener® covers 30-40 sq. ft., depending on application technique
  - May be applied by immersion, or brush-on technique
  - No special ventilating system required
  - Should be applied at room temperature
  - Single cans available
  - ABC Blackener® cannot be shipped via air transportation
- Shipping code: 2
- Complete kit contains: one 1-quart bottle of ABC Blackener®  
one 1-quart bottle of ABC Sealant®



DESCRIPTION	CASE QTY.	ORDER NUMBER	PRICE EACH
One Complete ABC Blackener Kit (1 each: 1 qt. ABC Blackener & ABC Sealant)	1 Kit	3234-005	\$ 147.73
One qt. ABC Blackener	6 bottles	3234-007	73.85
One qt. ABC Sealant	6 bottles	3234-008	63.16

### Tool Black® Liquid [2]

- VOC Free
- Fast, inexpensive alternative to black oxide
- Imparts a tough, dull black protective finish to most ferrous metal parts (not stainless steel)
- Ideal for prototypes, repair parts and general machine work
- No special ventilating system required
- One pint of Tool Black® Liquid has the capacity to blacken 25-35 square feet of surface area, coverage varies with application technique
- Should be done at room temperature

Complete kit consists of:  
1 pt. Metal Polish/Cleaner  
1 pt. Tool Black® Liquid  
1 pt. Prevent®



DESCRIPTION	CASE QTY.	ORDER NUMBER	PRICE EACH
1 Complete Tool Black Liquid Kit (1 each: Tool Black, Prevent, & Cleaner-Degreaser)	1 Kit	3234-013	\$106.66
One qt. Tool Black Liquid	6 btls.	3234-001	61.46
One Pint Tool Black Liquid	6 btls.	3234-011	39.05
One Pint Prevent	12 cans	3234-012	59.05
One Pint Metal Polish/Cleaner	12 btls.	3234-010	20.00

### Hot Melt Coating [2]

- Hot Melt Strippable Protective coating protects tools, gauges, and metal parts from nicks, corrosion, and abrasions during storage and shipping
- Packed in convenient 5 lb. bags
- Five transparent colors: amber, clear, red, green, and blue
- Poly bag packing for easy handling and storage
- Easy to use, coating is pre-sliced into manageable pieces
- Other colors and types available on special order
- Set time is less than 60 seconds
- To remove, coating peels right off



	5 LB. BAG		30 LB. CASE*	
COLOR	ORDER NO.	PRICE EACH	ORDER NO.	PRICE EACH
Amber	3236-600	\$63.18	3236-605	\$379.02
Clear	3236-601	63.18	3236-606	379.02
Red	3236-602	63.18	3236-607	379.02
Green	3236-603	63.18	3236-608	379.02
Blue	3236-604	63.18	3236-609	379.02

\*One color

## Etch-O-Matic

### SUPER INDUSTRIAL KIT

Everything You Need  
To Etch Any Metal



Each Kit Contains: a Super and a Regular Etch-O-Matic along with: an Adapter Clip for deep etch marking, ground plate, 8 oz. of General Purpose & Stainless Steel electrolyte, 2 - 100 pk stencils, 4 oz. of Aluminum, Black Oxide, and Brass, Copper, Bronze electrolyte, 1g. 2 x 4" grid, pk of 1g. felt pads, pk of 25 lg. Stencils 8 oz. Neutralizer, 2 Neutralizer Pwd pks, 1 reg. grid and instructions.

Order No. 3257-032 Price Each: \$329.95

[1]

ETCH-O-MATIC SUPPLIES	ORDER NO.	PRICE EACH
16 oz. Bottle Electrolyte - Aluminum	3257-022	\$12.95
16 oz. Bottle Electrolyte - Brass & Copper	3257-023	10.95
16 oz. Bottle Electrolyte - Black Oxide	3257-024	10.95
16 oz. Bottle Electrolyte - General Purpose	3257-025	10.95
16 oz. Bottle Electrolyte - Stainless Steel	3257-026	10.95
16 oz. Bottle Neutralizer - Cleaner	3257-028	9.95
Powder Pak Neutralizer - Cleaner	3257-029	6.95
Regular Pad Refill Kit	3257-004	9.95
Stencils 3" x 2-1/4" 50 p/pk	3257-005	9.95
Stencils 3" x 2-1/4" 100 p/pk	3257-006	11.95
Stainless Steel Grid Plate w/Screws	3257-008	9.95

## Etch-O-Matic

### STARTER KIT

Lowest Priced Kit Available Anywhere!  
YET IT DOES THE JOB



10 Volts -  
2 Amps

Each Kit Contains: an ETCH-O-MATIC Marker, (Note - standard marker head size 7/8" x 1-3/4") with electrical cord, ground plate, 2 oz. electrolyte solution in plastic bottle, 10 special stencils, neutralizer and deep etching Adapter Clip. Each kit will mark approximately 1,000 tools.

Order No. 3257-002 Price Each: \$79.95

[1]

## Etch-O-Matic

### HEAVY DUTY- INDUSTRIAL SUPER ETCH-O-MATIC KIT

Best Value  
on the Market Today!



15 Volts - 10 Amps  
7 TIMES MORE POWER

Use on Production lines for Continuous Duty Fast Marking - for Deep Etch Marking down to .003" - for Large Marks up to 2" x 4" - (even Trademarks) for Black Oxide coatings and for all in-plant marking.

Each Kit Contains: 1 - 15 volt - 10 amp Marker unit with transformer, Adapter Clip for deep etch marking, ground plate, 8 oz. General Purpose electrolyte, 8 oz. Neutralizer, pak. felt pads, 100 special stencils and Plastic Carrying Case.

Order No. 3257-000 Price Each: \$229.95

[1]

# Layout Dyes, Stains, & Removers

## DYKEM® Layout Fluids

DYKEM Steel Blue® is the world's leading and best-known layout fluid. Additional colors provide you with the layout fluid that is most effective for your application.

- Prevents glare with a uniform, deep color.
- Dries in two to four minutes.
- Lets you scribe sharp, clear precise lines.
- Reduces eyestrain.
- Translucent.

Shipping Code: 2



PRODUCT	DESCRIPTION	CONTAINER SIZE	CASE QTY.	ORDER NO.	PRICE EACH
Steel Blue	Aerosol Spray	16 oz.	12	9520-500	\$ 10.96
Steel Blue	Felt Tip Applicator Fluid	2 oz.	12	9520-501	5.45
Steel Blue	Brush-In-Cap Fluid	4 oz.	12	9520-502	6.55
Steel Blue	Brush-In-Cap Fluid	8 oz.	12	9520-503	9.09
Steel Blue	Fluid	930 ml.	12	9520-505	16.24

PRODUCT	DESCRIPTION	CONTAINER SIZE	CASE QTY.	ORDER NO.	PRICE EACH
Steel Red	Aerosol Spray	16 oz.	12	9520-510	\$ 10.96
Steel Red	Felt Tip Applicator Fluid	2 oz.	12	9520-511	5.45
Steel Red	Brush-In-Cap Fluid	4 oz.	12	9520-512	6.55
Steel Red	Brush-In-Cap Fluid	8 oz.	12	9520-513	9.09
Steel Red	Fluid	930 ml.	12	9520-515	16.24

## DYKEM® Remover & Thinner™

Ideal for surface preparation, as well as removing layout fluids and staining colors. May also be used to dilute staining colors.

- Thoroughly cleans and prepares metal surfaces.
- Removes dirt, grease & oil from metals, most plastics and glass.
- Does not contain 1,1,1-trichloroethane.



SHIPPING CODE	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
2	16 oz. Aerosol	12	9520-535	\$ 9.58
2	930 ml (formerly 1 qt.)	12	9520-537	9.74
1	1 gallon	4	9520-538	27.98
3	5 gallon	1	9520-539	137.32
3	55 gallon	1	9520-540	1514.71

## DYKEM® Hi-Spot®

The ideal way to identify high spots on bearings and gear surfaces.

- Non-drying.
- Transfers from one surface to another.

DESCRIPTION	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
Blue (Tube)	.55 oz.	36	9520-551	\$6.40



## DYKEM® Marking Aerosols

Mark items for quick, visual identification. Ideal for assembly, inspection, etc.

- Fast drying.
- Ideal for marking bulk products such as lumber or metal.

Shipping Code: 2

DESCRIPTION	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
Yellow (Opaque)	16 oz. Spray Aerosol	12	9520-606†	\$10.62

\* Lead Free

† Limited Quantities

## CROWN® Toolmaker's Ink

- Precise Scribing without Chipping
- Produces quick-drying film that won't peel, flake or rub off.
- Contains no acids and resists heat.
- Dries Quickly - Leaves No Residue
- Suggested for dies, templates, tools and machined parts.
- Excellent adhesion to metal, glass and plastic.

Shipping Code: 2

MFG. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
6001	12 av. oz. aerosol can	12	9516-001	\$5.64

Dykem: 2  
Crown: 12



## CROWN® Toolmaker's Ink Remover

Dissolves All Layout Fluids

Special solvents remove inks without bothersome residues. Can also be used as a paint stripper. Safe and convenient aerosol application. Also available in non-aerosol bulk.

Shipping Code: 2

MFG. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
6095	14 av. oz. aerosol can	12	9516-095	\$5.18



## DYKEM® Opaque Stains

- Performs well on light and dark tinted materials
- Provides excellent hiding/coverage properties and opacity
- Thickness can be adjusted by adding DYKEM® Thinner & Remover
- Resists most work related materials such as oils, moisture, grease, cutting fluids, and more
- Easy application: spray, brush, dipping, stamping, or tumbling



Shipping Code: 2

Shipping Code: 1

Shipping Code: 3

COLOR	BRUSH-IN-CAP 8 OZ.	PRICE EACH	1 GALLON BOTTLE	PRICE EACH	5-GALLON PAIL	PRICE EACH
Black	—	—	9520-562	\$59.48	—	—
Dark Blue	9520-565	\$13.63	9520-566	68.07	—	—
Light Blue	—	—	9520-571	68.07	—	—
Lead-Free Dark Green	—	—	9520-480	77.34	9520-481	\$309.41
Lead-Free Light Green	9520-482†	15.47	9520-483	77.34	—	—
Lead-free Orange	9520-485	15.47	9520-486	77.34	—	—
Pink	9520-586	13.63	9520-588	68.07	—	—
Purple	—	—	9520-590	68.07	—	—
Red	9520-594	15.47	9520-595	77.33	—	—
White	9520-602	11.89	9520-604	59.48	9520-605	237.90
Lead-Free Yellow	9520-488	15.47	9520-489	77.34	—	—

† Limited Quantities

## CROWN® Fault Finder

Group 1 (Inspection Kit #1070)

1. Cleaner #1071 2. Penetrant #1075 3. Developer #1079

Contains No Chlorine or Sulfur-bearing Solvents.

It was developed specifically for testing materials where halogenated safety solvents are not permitted. This system meets the RDT F-3-6T standard as established by the Atomic Energy Commission. You'll see red if this system detects any faults. **Conforms to MIL-I-25135.** Active ingredients meet chlorine and sulfur requirements of the RDT F-3-6T standard, NAVSHIPS 250-1500, and MIL STD-271. **Shipping Code: 2**

7.5 av. oz. Cleaner...Order No. 9511-071...\$6.79

12

Penetrant...Order No. 9511-072...\$7.65

Developer...Order No. 9511-073...\$6.67

Kit...Order No. 9511-070...\$73.77





# Cleaners

## simple green Concentrated Cleaner/ Degreaser/Deodorizer

- Non-Toxic and Biodegradable
- Non-Abrasive/Non-Flammable
- A4, A8, B2 USDA Ratings
- Mild 9.3-9.5 pH
- Sassafras Scent
- Building/Grounds Maintenance
- Janitorial Cleaning: Floors, Walls, Counters, Doors, Concrete, Tile, Stainless Steel, Etc.
- Clean and Deodorize Grease Filters/Trap
- Surface Prep Before Painting



• Sassafras Scent

SIMPLE GREEN #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
13012	24 oz. Trigger Spray Bottle	12	3135-006	\$6.00
13005	1 gal. Bottle	6	3135-008	12.92
13006	5 gal. Pail	1	3135-012	63.18
13016	15 gal. Drum	1	3135-016	207.92
13008	55 gal. Drum †	1	3135-020	509.17

† Truck shipment only

### Trigger Spray Dilution Bottle (Empty)

Order No. 3135-001 Price Each: \$1.85

## Extreme simple green Aircraft & Precision Cleaner

- Non-Toxic and Biodegradable • Residue-free rinsing
- Non-Abrasive/Non-Flammable, non-corrosive
- Meets Boeing spec D6-17487 rev. P and Pratt & Whitney PWA 36604 rev. C & D
- Applications: • Engines, aircraft, vehicles
- Metals, plastics, high-tech alloys, part washing
- Janitorial cleaning: floors, walls, counters, doors, concrete, tile, stainless steel, etc.
- Heavy-duty cleaner and degreaser

† Truck shipment only



SIMPLE GREEN #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
13406	1 gal. bottle	6	3135-074	\$18.80
13405	5 gal. pail	1	3135-076	81.77
13455	55 gal. drum †	1	3135-078	647.17

## Hand Cleaner Gel Waterless Formulation, Heavy Duty

- Contains Pumice For Added Cleaning Power
- Added Lanolin for Moisturizing Skin
- Use With or Without Water
- Removes: Grease, Oil, Carbon, Wet Paint, Soot, Tar, Fish or Food Smells, and More
- Great for MRO, Service Bays and Maintenance Shops
- Non-Toxic, Non-Hazardous, Non-Flammable, and Biodegradable



SIMPLE GREEN #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
42150	5 oz. Tube	12	3135-062	\$1.37
42128	1 gal. Pump Bottle	4	3135-068	17.08

## Lime Scale Remover Industrial/Institutional Descaler

- Dissolves Soap Scum, Hard Water Stains, and Mineral Deposits
- Non-Abrasive/Non-Flammable • Non-Fuming, Buffered Acid
- No Bleach, Ammonia, or Phosphorous
- Descalers: HVAC Components, Pipes, Sprinklers, Humidifiers, Spray Rack Systems, Etc.

SIMPLE GREEN #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
50032	32 oz. Spray Bottle	12	3135-126	\$5.99
50128	1 gal. Bottle	6	3135-128	11.77



## Crystal simple green Industrial Strength Cleaner/Degreaser

- Industrial Formulation
- No Color and No Added Scent
- Non-Toxic and Biodegradable
- Non-Abrasive/Non-Flammable
- A4, A8 USDA Ratings
- Mild 9.3-9.5 pH
- Equipment/Machinery Degreasing
- Parts Washers and Dip Tanks
- Mechanized Applicators: Floor Scrubbers, Pressure Washers, Steam Cleaners, Etc.

• No Color and No Added Scent



SIMPLE GREEN #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
19024	24 oz. Trigger Spray Bottle	12	3135-036	\$7.88
19128	1 gal. Bottle	6	3135-038	17.31
19005	5 gal. Pail	1	3135-042	75.71
19055	55 gal. Drum †	1	3135-050	610.31

† Truck shipment only

## Foaming Crystal simple green Industrial Strength Cleaner/Degreaser

- Specialized foaming formula
- Clinging and penetrating foam cleans hard-to-reach areas
- Non-Toxic and Biodegradable
- Non-Flammable and Non-Abrasive
- Non-corrosive formula- Safe on metals, finishes, plastic & rubber
- Residue-free rinsing
- Quick, easy and convenient

Shipping Code: 2

• No Color and No Added Scent



SIMPLE GREEN #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
19010	Foaming Crystal Aerosol	12	3135-056	\$4.27

## simple green D Pro 3 1-Step Germicidal Cleaner/Deodorizer

- 3-in-1: Disinfects, Cleans, Deodorizes
- Disinfectant: Virucidal & Fungicidal • Kills HIV-1 Virus
- Hospital disinfectant level
- Green color and fresh herbal pine scent
- Safer use solution, less harmful than phenol disinfectants
- High dilution ratios of 1:21 & 1:64 • Bilingual label

SIMPLE GREEN #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
30332	32 oz. Bottle	12	3135-112	\$9.52
30301	1 gal. Bottle	6	3135-113	16.67
30305	5 gal. container	1	3135-114	78.03
30355	55 gal. container †	1	3135-116	674.27

† Truck shipment only



## simple green D Pro 5 1-Step Cleaner/Disinfectant

- Cleaner, Deodorizer, Sanitizer, Virucidal, Fungicidal, Mildewstat
- Hospital disinfectant level • Bilingual label
- High level of active ingredients, kills Avian Influenza, Hepatitis B & C, MRSA, and more
- High dilution ratios of 1:16, 1:64, as high as 1:256

SIMPLE GREEN #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
30532	32 oz. Spray Bottle	12	3135-118	\$11.70
30501	1 gal. Bottle	6	3135-119	19.41
30505	5 gal. container	1	3135-120	90.56
30555	55 gal. container †	1	3135-122	736.63

† Truck shipment only



• No Color and No Added Scent



# Cleaners

12

## Dymon® Stainless Steel Cleaner & Polish

- NSF® Certified
- Leaves an invisible protective finish on stainless steel surfaces

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
#209	16 oz. aerosol	12	3133-945	\$7.25



## Dymon® Do-it ALL™ Germicidal Cleaner

- Cleans, disinfects, and deodorizes in one step
- Foam clings to vertical surfaces permitting longer contact time
- Leaves surface clean and free from odors
- EPA registered

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
#080	16 oz. aerosol	12	3133-940	\$4.72



## Dymon® Clear Reflections® Glass Cleaner

- Residue-free glass cleaner leaves no spots, film, or streaks even at hot and cold temperatures
- Overspray will dry crystal clear

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
#385	16 oz. aerosol	12	3133-950	\$3.91



## Dymon® Graffiti & Spray Paint Remover

- Jellied formula will not run off vertical surfaces
- Removes paint, lipstick, grease, ink, crayon from a variety of surfaces

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
#078	16 oz. aerosol	12	3133-938	\$6.94




## HydroForce® Foaming Citrus All Purpose Cleaner

- Eliminates dirt, dust, ink, & grime deposits
- Rich foam clings to vertical/inverted surfaces
- Biodegradable, non-corrosive & non-abrasive
- Non-flammable, safe on most plastics

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
14400	20 oz. aerosol	12	6720-920	\$7.75



## HydroForce® Zero VOC

- Zero VOC formula
- Residual cleaning action
- Biodegradable & concentrated
- Non-corrosive, non-abrasive
- Non-flammable

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
14446	32 oz. spray bottle	12	6721-368	\$11.71



## HydroForce® Glass Cleaner Professional Strength

- Cuts through dirt, dust, fingerprints & haze
- Streak-free glass cleaning
- Biodegradable, ready to use
- Ammonia-fortified formula

Shipping Code: 2 (aerosol)

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
14412	20 oz. aerosol	12	6721-020	\$4.42
14411	30 oz. spray bottle	12	6721-030	7.57



## CROWN® Anti-Vandal Spray

A clear spray blend of solvents that removes lipstick, pencil, ink, crayon, and spray paint from a variety of hard surfaces. Safe for use on most hard, unpainted surfaces, including concrete, brick, wood, fiberglass, ceramic tile, Formica, and some plastics. etc.

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
5062	16 oz. aerosol	12	9515-062	\$6.51



## Cleaners

### Scrubs-In-A-Bucket®

PATENTED Heavy-duty, Waterless Hand Cleaner Towels, Disposable, pumice-like performance waterless hand cleaner towels that effectively and quickly clean hands of a wide variety of industrial soils and greases. Each self-dispensing, portable canister contains 72-each or perforated 10-1/2" x 12-1/4" disposable heavy-duty Rough Touch® towels. Super-effective, yet gentle-to-skin, heavy-duty cleaning formulation. **USDA:E-4.** <sup>2</sup>



PRODUCT NO.	DESCRIPTION	PRICE PER CASE
3133-910	Individual Bucket	\$16.07
3133-911	*Special case of 6	75.65

### LA·CO® Lifter Wipes

#### Disposable All-Purpose Wipes

- Smooth side for gentle cleaning, rough side for hard-to-clean areas
- Tear-resistant for heavy duty cleaning jobs
- Residue-free and no drying necessary
- Removes heavy grease, oils, tar, asphalt, inks, wax, lubricants, adhesives, and many other hard-to-remove materials

<sup>2</sup>



PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
72405	70 ct. bucket	6	6472-405	\$17.17



### Non-Chlorinated Formula Brakleen® Brake Parts Cleaner

- Use where compliance calls for a chlorine-free product
  - Cleans fast, dries fast & leaves no residue
  - Degreases instantly • Restricted from sale in CA
  - This product is labeled as extremely flammable
- Shipping Code: 2

<sup>12</sup>

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
05084	20 oz. aerosol	12	6709-820	\$5.94



### Brakleen® Brake Parts Cleaner

- Removes brake fluid, grease & oil from linings & brake pads
  - Cleans fast, dries fast & leaves no residue
  - Degreases instantly • Non-flammable
  - Restricted from sale in CA & NJ
- Shipping Code: 2

<sup>12</sup>

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
05089	20 oz. aerosol	12	6709-920	\$ 7.22



### simple green® Safety Towels Multi-Purpose Cleaning Power

- Safer, Non-Citrus Formula • Uses Crystal Simple Green®
- Non-Toxic and Biodegradable • Non-Abrasive/Non-Flammable
- Pre-Moistened, Quick, Versatile
- "No-Scratch" Cleaning of any Water-Safe, Hard Surface: Skin, Metals, Finished Wood, Laminates, Fiberglass, Porcelain, Tile Ceramics, Concrete, Terrazzo, Carpets, and More

#### • No Color and No Added Scent

<sup>12</sup>


SIMPLE GREEN #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
13351	75 count Safety Towels	6	3135-058	\$11.42



### CROWN® All Purpose Cleaner

- Water & ammonia based cleaner provides a low foaming action cleaner for breaking up grime.
- Cuts through grease • Cleans & polishes
- Excellent on granite surfaces • USDA C-1
- Uses: For hard to clean spots on wood, metal, tile, porcelain, plastic, chrome, etc. Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
5055	16 oz. aerosol	12	9515-055	\$3.44



### Gasket Remover Paint & Decal Remover

- Removes baked on fiber gaskets, gasket adhesives & sealants
- Excellent paint, varnish & graffiti remover
- Contains no methylene chloride
- This product is labeled as extremely flammable

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
03017	16 oz. aerosol	12	6702-716	\$11.51



### Battery Terminal Protector

- Protective coating that keeps moisture, salts & road grime from corroding metal contacts
  - Enhances battery life & power by preventing corrosion-related leakage
  - Red color provides easy visual inspection of application
  - This product is labeled as extremely flammable
- Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
03175	12 oz. aerosol	12	6705-312	\$11.60



### Battery Cleaner

- Water soluble formula
  - Removes corrosion while neutralizing acid spills
  - Assures maximum battery current flow
  - Promotes longer battery life
- Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
03176	12 oz. aerosol	12	6705-412	\$ 7.25



## Contact Cleaners



### Industrial Contact Cleaner

- Removes light oils, dirt & fingerprints
- Evaporates quickly, leaves no residue
- Contains no known ozone depleting chemicals or VOCs
- Safe on all plastics

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
03070	16 oz. aerosol	12	6703-616	\$50.07



### QD™ Contact Cleaner

- Removes contaminants from electrical & electronic components
- Quick drying, leaves no residue, safe on all plastics
- Ideal for applications where lower flashpoint solvents can be used
- Non-compliant in CA
- This product is labeled as extremely flammable

SHIPPING CODE	PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
2	03130	16 oz. aero	12	6704-816	\$14.60
1	03131	5 gal. pail	1	6704-840	341.53



### Contact Cleaner 2000® Precision Cleaner

- Removes dirt, light oils & other contaminants
- No flash or fire point • Non-conductive & non-corrosive
- Not recommended for sensitive plastics

SHIPPING CODE	PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
2	03150	16 oz. aero	12	6705-016	\$25.15
4	03152	5 gal. pail	1	6705-040	1533.36



### HF™ Contact Cleaner

- Provides the safety of a high flashpoint, leaves no residue
- Contains no Class I or Class II ozone depleting chemicals

SHIPPING CODE	PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
2	03125	16 oz. aero	12	6704-716	\$15.08
4	03126	5 gal. pail	1	6704-740	344.12



### PF™ Precision Cleaner

- Strong cleaning action
- Evaporates quickly, leaves no residue
- No flash or fire point
- Safe on all plastics

Sold as case quantity only. Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
03190	16 oz. aerosol	12	6705-716	\$40.92



### Contact Cleaner

- Quick drying • Low conductivity, high dielectric
- Plastic safe • No residue • NSF-A1

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
PD11CC	11 oz. aerosol	12	9525-009	\$5.40



### Contact Cleaner & Lubricant

- Removes grease, oil, dirt & other contaminants
- Protects with a non-hardening film
- Non-corrosive & non-staining
- This product is labeled as extremely flammable

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
03140	16 oz. aerosol	12	6704-916	\$15.64



### Lectra Motive® Electric Parts Cleaner

- Provides fast, thorough cleaning for non-sensitive electrical equipment
- Dissolves grease, oil, dirt, and wax
- Leaves no residue; Non-flammable
- Not to be used for motorized vehicle maintenance or their parts
- Energized equipment use only in: CA, CT, DE, MA, MD, ME, MI, NJ, NY, RI, OH, PA

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
05018	20 oz. aerosol	12	6709-120	\$9.24



### Off Line Contact Cleaner

- Fast-evaporating, low-odor cleaner for off-line equipment maintenance.
- Does not leave a film or residue • Safe on most plastics and metals
- Applications: to be used on out-of-service electronic components.

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
8276	16 oz. aerosol	12	9518-276	\$6.01





# Degreasers



## Heavy Duty Degreaser

- Removes grease, oil, tar, adhesives, etc.
- No flash or fire point
- Non-corrosive & non-staining
- Contains no Class I or Class II Ozone Depleting Chemicals
- Sold for manufacturing use only, exceeds VOC limits as a consumer product. Not for retail sale.

SHIPPING CODE	PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
2	03095	20 oz. aero	12	6704-420	\$13.75
1	03096	1 gal. btl.	4	6704-436	97.27



## Heavy Duty Degreaser II

- Dissolves grease, oil & sludge
- Evaporates quickly & leaves no residue
- Non-conductive, non-corrosive & non-staining
- Contains no Class I or Class II Ozone Depleting Chemicals
- Cannot be sold in CA. Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
03120	20 oz. aerosol	12	6704-620	\$17.78



## Super Degreaser™ Cleaner/Degreaser

- Dissolves grease, oil & sludge
- Contains no chlorinated solvents
- Not subject to the reporting requirements of RCRA or CA Prop 65
- High di-electric strength of 26,800 volts

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
03110	20 oz. aerosol	12	6704-520	\$26.16



## Gel Degreaser

- No chlorinated solvents
- Clings to hard-to-reach areas
- No scrubbing, spray-on, water rinse
- NSF-C Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
PD15GEL	16 oz. aerosol	12	9525-011	\$ 4.70



## CROWN® Safety Solvent

- Dissolves grease fast, leaves surfaces clean and dry
- Contains no CFC's, no Class I or II O.D.C.'s
- Eliminates lubricant build-up, fast evaporation
- Surfaces are clean & dry, no powdery residues
- Low toxicity • Non flammable
- Consistent cleaning power • User/Workplace friendly

Always test on plastic and other surfaces before using.  
Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
8060	20 oz. aerosol	12	9518-060	\$8.93



## Quick Clean™ Safety Solvent & Degreaser

- Non-flammable, VOC exempt • Fast evaporation, leaves no residue
- Non-corrosive, non-conductive & non-staining
- Contains no Class I or Class II Ozone Depleting Chemicals
- Cannot be sold in CA, CT, DE, MA, ME, MD, MI, NJ, NY, RI

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
03180	20 oz. aerosol	12	6705-520	\$9.28



## Citrus Degreaser/Cleaner

- Removes grease, oil, lubricants & adhesives
- Fast evaporation, leaves no residue
- Non-corrosive, non-abrasive & non-staining
- Pleasant citrus scent

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
14170	20 oz. aerosol	12	6720-120	\$11.12



## Citrus Degreaser

- No chlorinated solvents
- Dissolves grease, oil, wax, resin, & sap
- Pleasant citrus scent
- NSF-C1 Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
PD15CT	16 oz. aerosol	12	9525-010	\$5.60



## Non-Chlorinated Heavy Duty Degreaser

- Removes grease, oil, & wax
- High flash point
- Low odor
- NSF-C1 Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
PD15NC	16 oz. aerosol	12	9525-013	\$6.80



# Corrosion Preventatives

12



## SP-350™ Corrosion Inhibitor

- Protects equipment & parts in storage, shipment & in process for up to 2 years indoors
- Displaces moisture & protects all metals with a thin, non-drying film
- Promotes easy equipment start-up

SHIPPING CODE	PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
2	03262	16 oz aero	12	6706-416	\$12.44
4	03266	5 gal pail	1	6706-440	239.70



## SP-400™ Corrosion Inhibitor

- Long-term protection (up to 2 years outdoors) for all metals during shipment or extended storage
- Highly resistant to humidity & salt spray
- Firm, waxy film never becomes brittle
- This product is labeled as extremely flammable

Shipping Code: 2

SHIPPING CODE	PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
2	03282	16 oz aero	12	6706-516	\$13.38
4	03286	5 gal pail	1	6706-540	329.70



## Zinc-It® Instant Cold Galvanize

- Actively fights rust & corrosion with a film of 95% pure zinc
- Protects base metal even when scratched or abraded
- Fast-drying, dries to the touch in 15 minutes
- This product is labeled as extremely flammable
- Excellent weldability Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
18412	16 oz. aerosol	12	6726-016	\$10.36



## Bright Zinc-It® Instant Cold Galvanize

- Inhibits corrosion & provides a high shine aluminum finish
- Protects base metal even when scratched or abraded
- Recommended for touch-up & repair of bright finish, hot-dip galvanized surfaces
- This product is labeled as extremely flammable

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
18414	16 oz. aerosol	12	6726-116	\$12.38



## Galva Bright Premium

- Glistening zinc coating that will restore galvanized steel to the bright look of Hot Dip.
- Galva Bright will stop rust and corrosion on any iron or steel surface.
- Zinc rich formula provides long lasting protection.

### Applications

Cosmetic repair of welds, hand rails, rims, highway guard rails, metal chain fences, pipes, TV towers, refinery piping, corrugated metal buildings, heavy equipment, and anywhere the bright look of hot dipped surfaces is preferred. Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
7008	13 av. oz. aerosol	12	9517-008	\$8.34



## Cold Galvanizing Compound

- The best long-term rust protection you can buy
- Equal to hot dip galvanizing
- Aerosol will not clog or sputter

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
7007	13 av. oz. aerosol	12	9517-007	\$7.61



## Rust Inhibitor

### Contains Fortified Lanolin for Moisture Absorption

Protects and lubricates indoor equipment such as tools, parts, and machinery. Penetrates deep, absorbs moisture, and neutralizes corrosive acids. Waxy, elastic film removes easily with any paint solvent. Lubricants can be applied over the surface without reducing it's effectiveness. Applications: Twist drills, nuts and bolts, plow blades, pumps and machinery. Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
6007	14 av. oz. aerosol	12	9516-007	\$5.78



## Tool & Die Saver

### Protection in Storage

Protects stored tools and dies from moisture during storage. Formulated with solvents and lanolin for moisture-absorption and lubrication. Heavy, non-oily film is easy to remove when equipment is returned to service. Ideal for long-term storage or long-distance shipments. Applications: Precision measuring tools (calipers and gage blocks) chucks, setup jigs and tools, stored metal molds and seldom used parts. Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
3090	13 av. oz. aerosol	12	9513-090	\$5.10



## Multi-Purpose Lubricant & Corrosion Inhibitor with Cerflon®

- Inhibits corrosion • Displaces moisture
- Lubricates • NSF-H2

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
L212	11 oz. aerosol	12	9525-002	\$4.00



## Penetrants



### 3-36® Multi-Purpose Lubricant & Corrosion Inhibitor

- Cleans, lubricates, penetrates & loosens corrosion
- Prevents corrosion by displacing moisture
- Loosens frozen parts
- Lubricates without leaving a sticky residue
- Cleans light soils & contaminants

SHIPPING CODE	PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
2	03005	16 oz. aero	12	6702-616	\$ 6.93
-	03006	1 gal. btl.	4	6702-636	41.89
4	03009	5 gal. pail	1	6702-640	175.37



### Ultra-Lite 3-36®

- Ultra-thin, non-staining lubricant
- Displaces moisture -- excellent for drying out electrical/ electronic components
- Resists oil, dust & dirt build-up

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
03160	16 oz. aerosol	12	6705-116	\$ 9.34



### Technical Grade 3-36® Multi-Purpose Precision Lubricant

- Prevents corrosion by displacing moisture
- Restores resistance values & helps stop current leakage
- Helps restore water damaged electrical equipment

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
03003	16 oz. aerosol	12	6702-516	\$8.28



### Knock'er Loose® Penetrating Solvent

- Industrial strength, low viscosity lubricant/penetrant designed to loosen/free seized, bound, or frozen fasteners
- Breaks through rust, scale, gum, grease, & corrosion
- Low surface tension formula that creeps into cracks, seams, threads, & joints
- Extreme penetrating action
- Lubricating residue prevents corrosion
- Outperforms the competition

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
03020	16 oz. aerosol	12	6702-766	\$ 9.40



### Heavy Duty Penetrating Solvent

- Penetrates corrosion
- Loosens rusted bolts & parts
- Fast acting
- NSF-H12

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
L112	11 oz. aero.	12	9525-000	\$4.80
L116	16 oz. btl.	12	9525-001	6.70



### Screwloose® Super Penetrant

- Provides fast & easy disassembly
- Busts through rust, scale & corrosion
- NSF H2 registered for use in meat & poultry plants
- Clear formula contains no dyes & leaves no mess

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
03060	16 oz. aerosol	12	6703-416	\$ 6.93



### Foaming Penetrant, Lubricant, Corrosion Inhibitor

- Controlled, accurate application
- Highest penetration
- Maximum lubrication
- Ultimate protection
- NSF-H2

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
PL411	11 oz. aerosol	12	9525-004	\$6.90





## Penetrants (Continued)

12

**CROWN**

### Penetrating Oil

Penetrates Metal Pores; Releases Rust Fast

- Reduces tugging and pounding
- Only a few drops needed
- Effective against salt water corrosion
- Contains no acid
- Pinpoint extension tube included with each aerosol

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
6030	16 av. oz. aerosol	12	9516-030	\$5.72



**CROWN**

### ALL-4

Moisture Displacing Lubricant  
Multi-purpose Problem Solver

- Displaces Moisture • Lubricates
- Cleans and Penetrates
- Silicone Free
- Prevents Rust
- Especially Effective in High Humidity

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
7340	16 av. oz. aerosol	12	9517-340	\$5.21



## Chain & Wire Rope Lubricant

**CRC**

### Chain & Wire Rope Lubricant

- Penetrates deep & leaves a tough film that lubricates & protects
- Resists water wash-off & high-temp sling off
- Absorbs pin/bushing shock & cushions rollers, pins & bushings
- This product is labeled as extremely flammable

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
03050	16 oz aerosol	12	6703-216	\$13.52



**Liquid WRENCH**

### Chain & Wire Rope Lubricant with Moly

- Clings to cables, chains, & sprockets
- Safe for O-Ring chains
- Penetrates deep, heat resistant • NSF-H2

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
L711	11 oz. aerosol	12	9525-007	\$4.20



**CRC**

### Belt Dressing

- Extends belt life by reducing slippage, hardening, glazing dirt build-up & friction
- Relieves stress on motors, shafts & wheels
- Colorless -- will not stain finished goods
- Meets FDA Regulation CFR 21-178.3570 for incidental food contact
- This product is labeled as extremely flammable

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
03065	16 oz aerosol	12	6703-516	\$11.80




**CROWN**

### Moly Open Chain Lube Oil

Penetrates Deep Between Roller Chain Drive Bushings  
Reduces the stress of start-ups and high temperature breakdowns.  
Provides Critical Lubrication  
Solvents drive deep into tight, inaccessible areas.  
Provides superior lubrication where high pressure or temperatures cause breakdowns of protective films.

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
7043	14 oz. aerosol	12	9517-043	\$6.13



**CROWN**

### Heavy Duty Open Gear & Wire Rope Lube

Tough and Pliable with Extra Adhesion

Lubricates As It Waterproofs

Superior mastic and wicking properties. Tough and pliable with superior adhesion. Foaming action insures total coverage. Weather-Resistant

Withstands extreme temperature and pressure.

Will not become brittle or break down under prolonged use.

Dark color helps determine proper and uniform application.

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
7045	14 oz. aerosol	12	9517-045	\$6.99



# Lubricants



## Extreme Duty Silicone

- Superior lubrication & temperature viscosity characteristics
- Reduces friction & galling even on metal-to-metal contact areas
- Clear, non-staining, odorless film resists moisture
- This product is labeled as extremely flammable

Shipping Code: 2

12

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
03030	16 oz. aerosol	12	6702-816	\$12.92



## Food Grade Silicone

- Multi-purpose silicone spray for food processing & handling applications
- Meets FDA Regulation CFR 21-178.3570 for incidental food contact
- Meets 1998 USDA guidelines for use in meat & poultry plants
- This product is labeled as extremely flammable

Shipping Code: 2

12

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
03040	16 oz aerosol	12	6702-916	\$8.09



## Food Grade Silicone Lubricant

- USDA H-1 • 4% silicone • Odorless, colorless, non-staining, dry film
- Prevents sticking and won't transfer to end parts
- Will not interfere with carton sealing, bottle capping, or other food preparation applications
- Will not harm paint, metal, wood surfaces, and most plastics
- Reduces noise and wear where friction may occur
- Separates from water even under acid/alkali conditions
- Waterproofs ignition systems • Dielectric strength of 35kV/mm

**Applications:** Metal hinges, plastic rollers, guide rails, slides, or anything that sticks. May be used on air tables and food preparation equipment.

Shipping Code: 2

12

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
8036	16 oz. aerosol	12	9518-036	\$5.17



## Heavy Duty Silicone Spray

- Lubricates, waterproofs, & protects
- Thin, clear, non-drying film
- Use on metal, rubber and plastic
- NSF-H2

Shipping Code: 2

12

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
M914	11 oz. aerosol	12	9525-008	\$ 4.00



## Bearing Lubricant® Aerosol

Regular maintenance with Bearing Lubricant can extend the bearing life up to 3 times longer reducing operating friction by 25%-more than oil or other treatments. Protects valuable tools under heavy operating loads and extremely high temperatures up to 550°F (288°C) and contains no silicone.

Shipping Code: 2

1

DESC.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
Bearing Lube	5.5 oz. aerosol	12	3159-872	\$8.93



## BladeCote® - Aerosol Blade/Bit Lubricant

- Prevents resin buildup.
- Reduces blade cleanings, cutting friction and heat.
- Extends overall life of blades and bits
- Contains NO silicone or petroleum oil.
- Will NOT stain wood or interfere with glues or finishes.
- Prolongs equipment life by reducing saw or drill motor drag.
- Increases productivity by less downtime for saw blade changeovers.
- Works equally well on steel or carbide, stellite and diamond-tipped cutting blades.

Shipping Code: 2

1

DESC.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
BladeCote	10.75 oz. aerosol	12	3159-876	\$11.27



## GlideCote® - Aerosol Table/Tool Surface Sealant

- Reduces sliding friction and hang-ups
- Will not build-up even after several applications
- Will not stain or effect finishing of wood
- Contains no petroleum oils or silicone
- Protects all tools and equipment from rust.
- Up to 30% slicker than paste wax.
- Easier, quicker to apply than paste wax, lasts three times (3x) longer.
- Perfect for table saw beds, drill presses, lathes, planers, band saws, miters, panel saws, and all hand tools

1

DESC.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
GlideCote	10.75 oz. aerosol	12	3159-878	\$11.17



# Lubricants

12



## Dry Moly Lube

- Lowers friction, prevents galling & helps reduce torque & energy consumption
- High anti-friction & anti-seizure properties
- Resists high temps, high pressure & water & chemical attack
- Fast drying film resist dirt & dust build-up
- This product is labeled as extremely flammable

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
03084	16 oz aerosol	12	6704-316	\$11.30



## Power Lube® High Performance Lubricant w/ Teflon®

- Displaces moisture & seals out corrosion
- Contains TEFLON for long-lasting lubrication
- Withstands extreme load carrying situations
- Perfect to hard to maintain equipment
- This product is labeled as extremely flammable
- Teflon® is a registered trademark of DuPont

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
03045	16 oz aerosol	12	6703-116	\$ 9.98

Shipping Code: 2



## CROWN® Dry Film

Lubricant & Mold Release Agent (TFE)

Clear, Clean, dry Teflon® Formula

Clean, slippery, dry and invisible when applied. Lubricates without grease. Resistant to dirt and dust. Durable beyond normal lubricant breakdown . . . works up to 500° F.

Use where silicone, oil or wet lubricants cannot be tolerated.

### Applications

Electrical equipment, precision machines, survey instruments, industrial sewing machines, conveyors and chutes.\* Dupont Tmrk

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
6075	14 av. oz. aerosol	12	9516-075	\$7.92



## CROWN® Dry Moly Lubricant

Performs at pressures up to 100,000 PSI and temperatures up to 700° F. This dry, molybdenum disulfide product contains no oils or moisture-based diluents. Forms a dry, thin black film imparting anti-friction and anti-seizure properties. Bonds to metal surfaces. Provides long-lasting, noise-reducing protection. Use where a dirt and grime-resistant lubricant is needed.

### Applications

Grinding mills, crushers, mechanical presses, cams & slides.

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
6080	16 av. oz. aerosol	12	9516-080	\$6.52



## CROWN® Dry Graphite Lubricant & Parting Compound

Temperature Range from -100° F to +1000° F

Used throughout the world for extreme temperature lubrication requirements. Coats surfaces with a super-slippery, long-lasting protective film.

Stops squeaking and sticking. Use where petroleum products must be avoided. Contains no oils or moisture-based diluents.

**Lubricant:** bearings, locks, oven parts, pre-assembly of moving parts, sliding windows and doors.

**Parting Compound:** dies, sand cores, match plates, drawing extrusions, die casting, pewter molding.

**Coating Compound:** Conductive materials, sealants. Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
8078	14 av. oz. aerosol	12	9518-078	\$5.63



## Dry Lubricant with Cerflon®

- Dry powder lubricant
- Lubricates without oil
- No dirt pick up
- NSF-H2

Shipping Code: 2

PART. NO.	SIZE	CASE QTY.	ORDER NO.	PRICE EACH
L512	11 oz. aerosol	12	9525-005	\$ 6.10



# Grease



## White Lithium Grease

- Provides superior lubrication & durability in any weather or temperature
- Excellent break-in lubricant for bearings
- Provides general purpose lubrication & corrosion protection of machinery, tools, etc.
- White color allows for easy visual inspection of film coverage
- This product is labeled as extremely flammable

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
03080*	16 oz. aerosol	12	6703-916	\$ 10.47



## White Lithium Grease

- Durable high-viscosity film
- Won't melt, run, freeze
- Inhibits corrosion
- NSF-H2

Shipping Code: 2

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
L616	11 oz. aerosol	12	9525-006	\$ 4.80





# Oils



## Cutting Oil

- Superior thread cutting lubricant for use on all types of ferrous & non-ferrous metals
- Reduces heat & friction to ease cutting
- Sulfur-free, low odor formula
- Foaming aerosol formulation clings to vertical surfaces
- This product is labeled as extremely flammable

Shipping Code: 2



PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
14050	16 oz. aerosol	12	6716-816	\$9.08



## Air Tool Oil

- Lubricates & protects pneumatic equipment
- Increases torque, assures long tool life
- Reduces rust, varnish, sludge & acids



PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
SL2531	15 oz. btl.	12	6727-915	\$7.10
SL2533	1 gal. btl.	4	6727-936	29.61



## Food Grade Machine Oil

- Penetrates & loosens rust, scale & corrosion
- Contains no silicone & is virtually odorless & colorless
- Will not harm metal, wood, plastic or painted surfaces
- Meets FDA Regulation CFR 21-178.3570 for incidental food contact
- This product is labeled as extremely flammable

Shipping Code: 2



## MILTON Air Tool Oil

Extends life and performance of air tools, lubricators, valves and cylinders. Prevents seizure of air tools and pneumatic equipment. Recommended for tools requiring a 10 weight non-detergent lubricant. Working temperature: 5° F to +350° F. **WARNING: HARMFUL OR FATAL IF SWALLOWED.**

MILTON PART. NO.	CONTAINER SIZE	CTN. QTY.	ORDER NO.	PRICE EACH
1001-4	4 oz. Flip-Top container	12	3350-546	\$4.54
1001-16	6 oz. Flip-Top container	12	3350-547	8.15
1001-32	32 oz. Flip-Top container	12	3350-548	12.38
1001	1-gal. container	6	3350-549	29.62



1001

## MILTON Compressor Oil

Protects against oxidation, corrosion, foaming and wear of metal parts. Protects against sludge and maintains its viscosity in the temperature range of 20° F to 440° F. For centrifugal compressors where the manufacturer specifies a non-detergent 30 weight oil. **WARNING: HARMFUL OR FATAL IF SWALLOWED.**

MILTON PART. NO.	CONTAINER SIZE	CTN. QTY.	ORDER NO.	PRICE EACH
1002-32	32 oz. Flip-Top container	12	3350-550	\$11.28
1002	1-gal. container	6	3350-551	27.31



1002-32

## RELTON

### TCO-14 & TCO-16 Cutting Oils

Dark & Light Thread Cutting Oils

- Leaves clean, smooth threads
- Ready to use on all pipe materials

SIZE	CASE QTY.	(DARK) TCO-14 ORDER NUMBER	(LIGHT) TCO-16 ORDER NUMBER	PRICE EACH
16 oz.	12	3159-490†	—	\$ 5.45
1 GAL.	4	3159-495*	3159-515	20.80
5 GAL.	1	3159-500	3159-520	91.90
55 GAL.	1	3159-505	3159-525	750.00

† Limited Quantities



### Air-Flo™ Air Tool Oil

- Protects against rust, gums, sludges, etc.
- Provides positive lubrication of piston-driven and rotary air tools.
- Prolongs tool life
- Increases RPM's and torque
- Effective in a wide variety of tools, applications and temperature ranges

SIZE	CASE QTY.	PART NUMBER	PRICE EACH
Pint	12	3159-530*	\$ 6.20
1 gal.	4	3159-535*	18.60
55 gal. drum	—	3159-540	925.00



### Rel-Saw™ Band-Saw Fluid

- Improves blade life
- Remains stable over a wide variety of water conditions
- Promotes cleaner-running machines compared to soluble oils
- Semi-synthetic formula

DESCRIPTION	CASE QTY.	PART NO.	PRICE EACH
1 GALLON BOTTLE	4	3159-582*	\$ 29.55
5 GALLON PAIL	1	3159-583	126.90
55 GALLON DRUM	—	3159-584	1300.00



## Pipe Compound & Tape

**LA·CO®**

### Slic-tite® Paste with PTFE Heavy-duty thread sealing compound

- Contains more PTFE than other national brands
- Use on metal, PVC, CPVC, and ABS plastic pipe threads
- For sealing water, air, steam, natural gas, LP gas, refrigerant, ammonia, gasoline and oil. See Application chart for other service uses
- Sealing temperature: -50°F to 500°F (-46°C to 260°C)
- Pressures: 3,000 PSI (204 BAR) for gas, 10,000 PSI (680 BAR) for liquid
- USDA approved for use in federally inspected meat and poultry plants
- FGG/BM® System Compatible
- Non-toxic, non-drying, washes off easily

[2]

SIZE	PACK QTY.	CASE QTY.	ORDER NO.	PRICE EACH
1/2 pint	1	24	6442-019	\$13.11



**NEVER-SEEZ®**  
Anti-Seize & Lubricating Compound

### Pipe Compound with Teflon®

Premium pipe and fitting lubricant and anti-seize compound formulated to provide maximum thread lubrication in a wide range of pipe threads and fittings. The use of Teflon, and other sealant enhancing additives in Never-Seez Pipe Compound, allows greater thread engagement and more positive sealing. This product prevents corrosion and galling of threads for easy disassembly at temperatures up to 525°F. Recommended for use on black iron, galvanized stainless steel, and high pressure steam pipes in contact with malleable cast iron, brass, stainless steel and galvanized fittings.

®Teflon is a registered trademark of DuPont. [1]



MFG. PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
NPBT-4	4 oz. Brush	24	3159-864	\$4.49
NPBT-8	8 oz. Brush	12	3159-865	16.35
NPBT-16	16 oz. Brush	12	3159-866	24.75

**LA·CO®**

### Slic-tite® PTFE Thread Tape

- Packed with PTFE, Slic-tite Tape provides a highly resistant seal on pipe threads for all types of service. This high-density tape works with several types of systems, and it permits easy disassembly, even after many years of service.
- Pressure: to 2,000 PSI (136 BAR)
- Sealing temperature: -450°F to 550°F (-268°C to 288°C)
- 4 mils thick and made with PTFE for greater sealing power
- Non-toxic

[2]

PART NO.	DESCRIPTION	ORDER NO.	PRICE EACH
44082	1/2" x 300"	6444-082	\$2.08
44082	1/2" x 600"	6444-083	2.64



**LA·CO®**

### Pipe Thread Tape Of PTFE

- Provides a highly resistant seal on pipe threads for all types of service. This economy-grade tape works with several types of systems, allows easy disassembly, even after many years of service.
- Pressure: to 10,000 PSI (136 BAR)
- Sealing temperature: -450°F to 550°F (-268°C to 288°C)
- 3 mils thick and made with PTFE for effective sealing power
- Non-toxic

[2]

PART NO.	DESCRIPTION	ORDER NO.	PRICE EACH
44071	1/2" x 260"	6444-071	\$0.51
44072	1/2" x 520"	6444-072	0.70



## RTV Silicone Adhesives/Sealants

**CRC®**

### RTV Silicone Adhesives/Sealants

- Seals, bonds, waterproofs & protects.
- Cures at room temperature.
- Clear, White & Blue formulations are for general purpose applications.
- Red is formulated as a low odor, non-corrosive & high pressure sealant.

[12]

MFG. PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
14055	Clr 8oz tube	12	6716-908	\$21.68
14056	Wht 8oz tube	12	6717-008	21.93
14057	Blue 8oz tube	12	6717-108	21.93
14059	Red 8oz tube	12	6717-208	22.39





# Threadlockers & Retaining Compounds

12



## Screw Lock

- Compare to Loctite® 222
- Low strength threadlocker designed for precision screws and bolts, 1/4" dia. or less
- Easy disassembly with hand tools
- Use on set screws, adjustment screws, calibration and thermostat screws
- Shear strength 600 psi
- Color: Purple
- Break/Prevail: 60/40
- Cure Time 20% (full): 10-30 min. (24 hrs.)
- Temp. Range: -75°F to 300°F
- Viscosity: 1200cP

Net 1.69 fl. oz. (50 mL)  
Order No.: 6737-904  
Price Each: \$ 24.59



## Nut Lock

- Compare to Loctite® 242
- Medium strength general purpose threadlocker for nuts, screws and bolts, 1/4" to 3/4" dia.
- Disassembly is possible with hand tools
- Eliminates the need for lock washers and lock nuts
- Prevents parts from loosening from vibration
- Shear strength 1200 psi
- Color: Blue
- Break/Prevail: 100/75
- Cure Time 20% (full): 10-30 min. (24 hrs.)
- Temp. Range: -75°F to 300°F
- Viscosity: 1000cP

Net 8.45 fl. oz. (250 mL)  
Order No.: 6737-936  
Price Each: \$100.02



## Bolt Lock

- Compare to Loctite® 262
- Excellent for heavy duty applications
- High viscosity allows for easy application control
- Excellent for large diameter fasteners, studs, and bolts
- Shear strength 3000 psi
- Color: Red
- Fasteners: 3/8 to 1"
- Break/Prevail: 150/200
- Cure Time 20% (full): 10-30 min. (24 hrs.)
- Temp. Range: -75°F to 300°F
- Viscosity: 2500cP

Net 1.69 fl. oz. (50 mL)  
Order No.: 6737-944  
Price Each: \$ 27.23



## Stud Lock

- Compare to Loctite® 271
- Excellent for heavy duty applications
- Permanently locks studs and press fits
- Use to replace snap rings and set screws
- Requires special tools for disassembly
- Shear strength 3000 psi
- Color: Red
- Fasteners: up to 1"
- Break/Prevail: 220/200
- Cure Time 20% (full): 10-30 min. (24 hrs.)
- Temp. Range: -75°F to 300°F
- Viscosity: 550cP

Net 1.69 fl. oz. (50 mL)  
Order No.: 6737-964  
Price Each: \$ 27.23

Net 8.45 fl. oz. (250 mL)  
Order No.: 6737-976  
Price Each: \$ 96.64



## Sleeve Retaining Compound

- Compare to Loctite® 640
- High strength for press fit & slip fit assemblies
- Restores worn out, ill-fitting assemblies
- Retains rotors to shafts
- The medium viscosity allows for greater gap filling
- Shear strength 4500 psi
- Color: Green
- Gap Fill: 0.010
- Break/Prevail: 150/200
- Cure Time 20% (full): 10-30 min. (24 hrs.)
- Temp. Range: -75°F to 450°F
- Viscosity: 500cP

Net 1.69 fl. oz. (50 mL)  
Order No.: 6738-044  
Price Each: \$ 24.59



## Penetrating

- Compare to Loctite® 290
- A high strength, low viscosity threadlocker that penetrates preassembled parts through capillary action
- Designed for use with instrumentation set screws or calibration equipment where the fasteners need to be locked in place after calibration is completed
- Shear strength 2000 psi
- Color: Green
- Fasteners: #2 to 1/2"
- Break/Prevail: 150/250
- Cure Time 20% (full): 10-20 min. (24 hrs.)
- Viscosity: 15cP
- Temp. Range: -75°F to 300°F

Net 1.69 fl. oz. (50 mL)  
Order No.: 6738-004  
Price Each: \$ 24.59



# Anti-Seize



## Copper Anti-Seize

- Prevents seizing & galling caused by high temps, heavy loads, vibrations & corrosion
- Excellent choice for closely fitted parts needing extreme lubrication
- Copper-based, safe for use on both ferrous & non-ferrous metals

12

SHIPPING CODE	PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
2	14095*	16 oz. aero.	12	6718-116	\$26.43
-	SL35901	8 oz. brush	12	6729-908	13.54
-	SL35903	16 oz. brush	12	6729-916	21.17

\*This product is labeled extremely flammable.



## Nickel Anti-Seize

- Prevents seizing & galling caused by high temps, heavy loads, vibration, chemicals & corrosion
- Safe for use with most chemicals that are unstable with copper
- Safe for use on both ferrous & non-ferrous metals

12

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
SL35911	8 oz. brush	12	6730-008	\$23.07
SL35913	16 oz. brush	12	6730-016	37.96



## EZ BREAK® Nickel Grade®

Anti-seize & lubricating compound

- Contains fine particles of nickel and other additives.
- Contains no copper.
- Resists rust and corrosion.
- Makes disassembly easy, even after years of service.
- Temperature: to 2600°F.

2

SIZE	ORDER NO.	PRICE EACH
9 oz.	6408-971	\$19.10



## EZ BREAK® Copper Grade®

Anti-seize & lubricating compound

- Recommended for coating nuts, bolts, valves, flanges, splines, for easy breakout after years of service.
- Copper-based anti-seize and lubricating compound.
- Resists rust and corrosion.
- Meets Mil. Spec. Mil-A-907D.
- Temperature to 1800°F.

2

SIZE	ORDER NO.	PRICE EACH
10 oz.	6408-910	\$14.29



## Pure Nickel Special

- Formulated to protect up to 2400°F against seizure and galling, galvanic and severe environmental corrosion.
- It contains flake particles of pure nickel, graphite and other additives
- Recommended for use when applications prohibit the presence of copper, especially when resistance to corrosive acidic and caustic solutions is required.
- Meets Boeing BAC 5008, Ford ESE-M12A4-A, Garrett Engine Div. PCS5721, GE Aircraft A50TF198 Class A, General Motors 14001899, Pratt & Whitney PWA 36053-1 and is tested to MIL-PRF-907E.

1

PART NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
NSN-165	16 oz. Flat Top	12	3159-819	\$35.75
NSBT-8N	8 oz. Brush Top	12	3159-821	21.30
NSBT-16N	16 oz. Brush Top	12	3159-822	35.67



## High Temperature Stainless

- A stainless steel, graphite, aluminum based anti-seize compound formulated to protect up to 2200°F against seizure and galling, galvanic and severe environmental corrosion.
- Specifically designed for applications that cannot use nickel based products.
- Tested to MIL-PRF-907E

1

PART NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
NSSBT-8	8 oz. Brush Top	12	3159-827	\$19.06



## Mariner's Choice

- Never-Seez Mariner's Choice is a copper-free, heavy duty anti-seize and extreme pressure lubricant formulated to assure absolute parts protection against seizure, galling, and corrosion in fresh/salt water environments.
- Mariner's Choice offers superior resistance to water washout, and the best protection in continuous high moisture environments both above and below water lines.
- Tested to MIL-A-907E.

1

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
NMCBT-8	8 oz. Brush Top	12	3159-838	\$15.57



## Regular Grade

The "original" anti-seize compound and extreme pressure lubricant formulated with copper, graphite, aluminum and other ingredients to protect metal parts against rust, corrosion and seizure up to 1800°F. Fine metallic and graphite particles in special grease protect parts even in high heat, high pressure and corrosive environments. Ford ESE-M12A4-A, Garrett Engine Div. PCS5724, Pratt & Whitney PWA 360523-2 and tested to MIL-PRF-907E.

1

PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
NSB-4	4 oz. Tubes	24	3159-810	\$10.62
NS-40	4 oz. Flat Top	24	3159-800	5.83
NS-160	16 oz. Flat Top	12	3159-801	21.47
NSBT-8	8 oz. Brush Top	12	3159-805	13.07
NSBT-16	16 oz. Brush Top	12	3159-806	20.34
NSA-16	16 fl. oz. Aerosol	12	3159-803	18.18



## White Food Grade with PTFE

Meets FDA and USDA requirements for incidental food contact. Fortified with high load carrying solid lubricants, it lubricates and protects bearings, gears and other moving parts exposed to high temperatures up to 475°F and wash downs. The unique dispersion of FDA authorized PTFE provides additional lubricity especially where a thin film of lubricant is desirable. Never-Seez White Food Grade with PTFE is virtually odorless, colorless, and tasteless. It is a "multi-purpose" lubricant for varied services within a food handling plant.

1

MFG. PART. NO.	DESC.	CASE QTY.	ORDER NO.	PRICE EACH
NSWT-14	14 oz. Flat Top	12	3159-855	\$33.08





# Cutting Fluids

**RELTON**

## Rapid Tap All-Metal Cutting Fluid

- The most effective cutting fluid available
- Excels in tough materials
- Contains no 1,1,1-trichloroethane or other ozone-depleting chemicals
- Effective on all metals (including aluminum)



SIZE	CASE QTY.	PART NUMBER	PRICE EACH
4 oz.	24	3159-400	\$ 2.75
16 oz.	12	3159-405	8.75
1 gal.	4	3159-410	49.20
5 gal.	1	3159-415	231.90
55 gal.†	-	3159-425	1950.00

† FOB Factory

## Option 1® Metal Cutting Fluid

Option 1® is effective in all machining operations on all metals except those that are water-reactive, such as magnesium.

- Ozone-friendly
- Water-based - Biodegradable - No oil
- Disposable down-the-drain
- No 1, 1, 1-trichloroethane (methyl chloroform)
- No sulphur - No toxic chemicals.
- Not reportable under any hazard laws.



SIZE	CASE QTY.	PART NUMBER	PRICE EACH
4 oz.	24	3159-430	\$ 2.75
16 oz.	12	3159-435	8.75
1 gal.	4	3159-440	49.20
5 gal.	1	3159-445	231.90
55 gal.†	-	3159-455	1950.00

† FOB Factory

## A-9 Aluminum Cutting Fluid

Ozone-friendly • Saves Time - Tools - Money  
Use for all operations on aluminum: milling, broaching, drilling, threading, tapping, reaming, sawing, etc. Contains a scientific blend of chemicals that attach themselves to aluminum surfaces, forming an effective extreme-pressure boundary lubricant between tool and work surface.



SIZE	CASE QTY.	PART NUMBER	PRICE EACH
4 oz.	24	3159-460	\$2.75
16 oz.	12	3159-465	8.75
1 gal.	4	3159-470	49.20
5 gal.	1	3159-475	231.90
55 gal.†	-	3159-485	1950.00

† FOB Factory

## Rapid Tap Paste

- Greatly extended tool life
- Super-fine machined finish in operation after operation
- Anti-mist protection for a healthier work environment
- Excels in tough materials
- Contains no 1,1,1-trichloroethane or other ozone-depleting chemicals



SIZE	CASE QTY.	PART NO.	PRICE EACH
8 oz. jar	12	3159-426	\$ 10.20

## Stick-Kut™ Wax Lubricant



- Safe and effective lubricant for grinding wheels, sanding belts, and saw blades
- Eliminates heat build-up and belt loading
- Provides smooth, cool cutting • Extends wheel life
- Reduces loading, stops binding, and prevents burring

SIZE	CASE QTY.	PART NO.	PRICE EACH
15 oz. stick	12	3159-427	\$ 10.20

## Crown® Buttercutt Cutting/Tapping Compound

- High temperature, high pressure film provides dependable tool point lubrication.
  - USDA Certified 98% Biobased Product
  - Flash point of 550°F (288°C) • No etch/staining
  - For use in manufacturing facilities
- Applications:** stainless steel, nickel, copper alloys, & other metals



SIZE	CASE QTY.	PART NO.	PRICE EACH
16 oz. pint	12	9515-040	\$10.34
1 gallon	2	9515-041	57.04



## Xtra-Thick™

The extreme performance heavyweight cutting fluid for the hardest metals up to 45 RC. Great for lathe, millwork, and deep hole cuts. Contains EP-X<sup>3</sup>®.  
**Shipping Code: 2**



## Aluminum

When the majority of your work is on aluminum, this is the most effective cutting fluid you can use, providing excellent performance for any and all cutting operations.  
**Shipping Code: 2**



## EP-Extra™

An ozone-friendly formula that gives you outstanding performance for any cutting operation on any metal. Absolutely without equal on all hard metals and for cuts of extreme pressure or long duration.  
**Shipping Code: 2 (aerosol)**



## Formula 1 Aqueous

A totally biodegradable and non-corrosive water-based fluid that is highly effective for all cuts on metal, excluding magnesium. Contains EP-X<sup>3</sup>® for a synergistic boost in performance.  
**Shipping Code: 2 (aerosol) 3 (55 gal.)**



## Pro Tap

Made especially for projects that require a cutting fluid that's free of all regulated chemicals. TAP MAGIC PRO TAP is completely biodegradable! Highly effective for all cutting operations on all metals.  
**Shipping Code: 2 (aerosol)**



## Xtra-Foamy®

A high-visibility foaming action cutting fluid containing EP-X<sup>3</sup>® for extreme performance on even the hardest-to-machine metals. Ideal for all cuts on all metals - especially high nickel alloys, inconel, stainless, titanium, and other hard metals up to 45 RC!  
**Shipping Code: 2**  
**17 oz. can**  
**Order No. 2591-282**  
**Price Each: \$17.54**



## Formula 2 Aqueous

Tap Magic Formula 2 Eco-Oil is totally biodegradable and has a natural oil base that's remarkably low in odor and smoke - even on cuts that produce a lot of heat. It contains our EP-X<sup>3</sup> additive for a synergistic boost in performance. Highly effective for all cuts on all metals.  
**Shipping Code: 2 (aerosol) 3 (55 gal.)**

SIZE	CASE QTY.	XTRA-THICK ORDER NUMBER	PRICE EACH	FORMULA 1 ORDER NUMBER	FORMULA 2 ORDER NUMBER	PRICE EACH	SIZE	CASE QTY.	EP-XTRA ORDER NUMBER	ALUMINUM ORDER NUMBER	PRO-TAP ORDER NUMBER	PRICE EACH
12 oz. aerosol	12	-	-	2591-297	2591-305	\$ 12.90	4 oz.	24	2591-275	2591-261	2591-262	\$3.61
16 oz.	12	2591-285	\$ 14.45	2591-292	2591-300	11.87	12 oz. aerosol	12	2591-281	2591-260	2591-268	12.59
1 gal.	2	2591-286	86.70	2591-293	2591-301	71.22	16 oz.	12	2591-276	2591-255	2591-263	11.56
5 gal.	1	2591-287	361.20	2591-294	2591-302	298.25	1 gal.	2	2591-277	2591-256	2591-264	69.36
30 gal.	1†	2591-288	1718.28	2591-295	2591-303	1413.84	5 gal.	1	2591-278	2591-257	2591-265	289.99
55 gal.	1†	2591-289	2786.40	2591-296	2591-304	2528.40	30 gal.	1†	2591-279	2591-258	2591-266	1353.98
							55 gal.	1†	2591-280	2591-259	2591-267	2389.08

† FOB Factory

† FOB Factory

# Misting Systems

## Kool Kit–Starter Special – Model 500

Model 500 includes:

- One Model 100N Mist Coolant System with one gallon stainless steel tank.
- One Adjustable Magnetic Nozzle Positioner
- One Gallon Formula 78 Concentrated Coolant
- One Sample Formula 77 Concentrated Coolant

Formula 77 and 78 Meet Requirements of OSHA • NASA • AEC • EPA

Order No. 9520-205...Price Each: \$222.00

## General Purpose Models with Stainless Steel Tanks



#102N



#100N

MODEL	TANK CAPACITY	NO. OF OUTLETS	ORDER NUMBER	PRICE EACH
100N	1 Gallon	1	9520-100	\$152.00
102N	1 Gallon	2	9520-116	218.00

MODEL	TANK CAPACITY	NO. OF OUTLETS	ORDER NUMBER	PRICE EACH
350N	3 Gallon	1	9520-103	\$183.00
352N	3 Gallon	2	9520-119	252.00

All Models have 4' long Braided Nylon Reinforced Coolant Lines with 6" long Brass Nozzle

## Automatic Mist Coolant System Without Tank

Equipped with 4' long braided nylon reinforced coolant line with 6" long brass nozzle. Units have 4' long siphoning line and ball check strainer for use with customer's own tank.

Model 100AP Single Line Unit

Order No. 9520-200 Price Each \$132.00

## Mist or Flood Coolants

Safe for people, materials, environment and machines

**Formula 77:** For tougher service. Is highly recommended for Mist Cooling any metal or alloy where tougher machining condition requires greater lubricity.

**Formula 78:** For light duty. Is a chemical base Mist Coolant that dissolves in water to a clear solution. Can be used on any metal or alloy.

MODEL	ORDER NO.	PRICE
77-1	1 Gallon	9520-209 \$40.00
77-5	5 Gallon	9520-211 185.00

MODEL	ORDER NO.	PRICE
78-1	1 Gallon	9520-213 \$38.00
78-5	5 Gallon	9520-215 178.00

## Replacement Coolant Lines

MODEL NO.	DESCRIPTION	ORDER NUMBER	PRICE EACH
SCL-2	2 ft. Coolant Line	9520-250	\$33.00
SCL-4	4 ft. Coolant Line	9520-251	36.00
MCL-3	3 ft. Nylon Braid Coolant Line	9520-270	47.00
MCL-4	4 ft. Nylon Braid Coolant Line	9520-272	51.00

## Mist Coolant Generator

Just one Model K-75 can handle most cooling jobs in your shop. Hangs on bracket (furnished) or stands anywhere. Volume and spray cone width are adjustable for each line.

- Turret takes up to four coolant lines: one furnished - add others as needed
- All lines ball-checked. No flowback
- See-through drawer shows coolant level
- Can be moved from machine to machine
- Made of hi-strength structural plastics

Model K-75. Order No. 9520-160.....Price Each \$ 170.00

Kit K-75K..... Order No. 9520-161.....Price Each \$ 75.00

Extra Outlet Kit – Contains everything required to add additional outlets to K-75 unit.



## Port-a-Mist Kit – Model 560

Model 560 includes:

- One PORT-a-MIST Model 60M Unit including air and coolant hoses, heavy duty magnetic base, simple single knob control, and 12" flexible LOC-LINE® positioner.
- One Gallon Kool Mist Formula 78 Concentrated Coolant
- One Sample Formula 77 Concentrated Coolant (4 oz.)

Order No. 9520-206...Price Each: \$155.00



## Port-a-Mist Unit Without Tanks

Model 60MI2: Unit with 12" Flexible LOC-LINE®  
Order No. 9520-184.....Price Each: \$117.00

Model 60MI8: Unit with 18" Flexible LOC-LINE®  
Order No. 9520-185.....Price Each: \$139.00

FEATURES:

- Single Air/Coolant Control Valve
- Adjustable Spray Nozzle
- Heavy Duty Magnetic Base
- 12" or 18" Flexible LOC-LINE® Nozzle Positioner
- 4 ft. Coolant Hose with Anti Syphon Check Valve
- 4 ft. Air Hose with Male Pipe Thread Fitting
- 1 yr. Warranty and Available Parts



## Kool-Kit Lite

Model 580 Includes:

- One Model 80S Mist Coolant System
- One Model 200 Adjustable Magnetic Nozzle Positioner
- One Gallon Formula 78 Concentrated Coolant
- One Sample Formula 77 Concentrated Coolant

Light Duty Models Without Tanks

2' Long Nylon Reinforced Coolant Line with 4' Long Siphon Line

4" Long Brass Nozzle

Order No. 9520-208...Price Each: \$143.00



## Nozzle Positioners

Model 205 Order No. 9520-173

Price Each: \$32.00

Magnetic Nozzle, for Portable Use

#205

Model 305 Order No. 9520-172

Price Each: \$24.00

Non-Magnetic Nozzle, for Permanent Mounting

#305



## Models For Use with Your Own Tank or Sump

Simplest of the Systems: The controls of these units are mounted permanently to the machine, close to the operator and the cut.

No Coolant Tank Furnished: Coolant mix may be placed in the machine sump, or in any clean container that will not contaminate the coolant. If the sump is used, the conventional flood coolant pump must be made inoperative.

Coaxial Coolant Line: Coolant and compressed air are not mixed until they reach the nozzle. To overcome the need for dual line, Kool Mist has developed a coaxial line, or a hose within a hose. Coolant line exteriors may be nylon braided for normal duty, or metal braided for protection from hot chips and abrasion.

Easy-to-use Control: Output from each nozzle is regulated by a single knob on the control. Mist spray may be turned on or off instantly to coordinate with the cutting cycle, and the spray mix made lean or rich as needed.

MODEL NO.	NOZZLE LENGTH*	COOLANT LINE TYPE & LENGTH	CONTROL MOUNTING	NOZZLE POSITIONER	ORDER NUMBER	PRICE EACH
80S	4" Brass	Nylon Braided 2'	Fixed	Not Incl.	9520-180	\$74.00
80SM	4" Brass	Nylon Braided 2'	Fixed	Magnet	9520-181	108.00

\* Straight nozzle is standard. 45° and 90° nozzles are available

1 Gal. Tank Holder Order No. 9520-217 ..Price Each: \$25.00



# Performix BRAND Plasti Dip

## Plasti Dip

Multi-purpose rubber coating that exhibits excellent moisture, acid, alkaline, and abrasion resistance. Protects against skidding/slipping and corrosion.

Shipping Code: 2 ; 1 (5 gal.)

\*Cannot be sold in CA



## Create Your Color Kit

- Clear Plasti-Dip® (22 oz.) with 5 tints
- Enhances your inventory, allows custom color matching
- Single 22 oz. cans of clear Plasti-Dip® are available, to be used for left-over tints
- Brand new 22 oz. package: improved paint-style lid with large opening provides improved long term storage, ease of mixing tints, ability to dip larger items, and use up to 2" paint brush

Shipping Code: 2




## Plastiseam

A tough, clear, flexible resin system that is excellent for sealing out moisture in pin holes in sewn seams. Typical applications include: nylon, canvas, backpacks, tents, awnings, tarps, outdoor and hunting gear.

\*Cannot be sold in CA

Shipping Code: 2



MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
11201-6	11 oz. aero. Red	6	9520-800	\$7.38
11203-6	11 oz. aero. Black	6	9520-802	7.38
11207-6	11 oz. aero. White	6	9520-804	7.38
11209-6	11 oz. aero. Clear	6	9520-805	7.38
11221-6	11 oz. aero. Gn. Gray	6	9520-806	7.38
11601-6	14.5 oz. Red	6	9520-810	8.78
11602-6	14.5 oz. Yellow	6	9520-811	8.78
11603-6	14.5 oz. Black	6	9520-812	8.78
11604-6	14.5 oz. Blue	6	9520-813	8.78
12213	22 oz. Black	6	9520-818	13.81
12219	22 oz. Clear	6	9520-817	13.81
10101*	1 gal. Red	4	9520-820	69.63
10102*	1 gal. Yellow	4	9520-821	69.63
10103*	1 gal. Black	4	9520-822	69.63
10104*	1 gal. Blue	4	9520-823	69.63
10106*	1 gal. H. Green	4	9520-824	69.63
10107*	1 gal. White	4	9520-825	69.63
10109*	1 gal. Clear	4	9520-826	69.63
10101013	1 gal. Gn. Gray	4	9520-827	69.63
105C1*	5 gal. Red	-	9520-830	277.57
105C161*	5 gal. Yellow	-	9520-831	277.57
105C3*	5 gal. Black	-	9520-832	277.57
105C4*	5 gal. Blue	-	9520-833	277.57
105C444*	5 gal. H. Green	-	9520-834	277.57
105C7*	5 gal. White	-	9520-835	277.57
10509*	5 gal. Clear	-	9520-836	277.57
105C1013	5 gal. Gn. Gray	-	9520-837	277.57

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
12209KIT	6-pc. Kit	4	9520-816	\$27.30

## VLP - Vinyl Repair

A clear, high strength, flexible adhesive designed to mend rips, tears and small holes on most types of flexible vinyl and leather surfaces. Typical applications include: furniture, awnings, tarps, vinyl sheeting, luggage, rain wear, boots, hunting gear, auto seats and dashes.



MFG #	SIZE	SHIPPING CODE	CASE QTY.	ORDER NO.	PRICE EACH
61209	1 oz.	2	6	9520-920	\$4.53
61209*	12 oz.	2	24	9520-921	14.50
60109*	1 gal.	2	4	9520-922	89.87
60509*	5 gal.	1	-	9520-923	379.48

\*Cannot be sold in CA

## UV Formula

Shipping Code: 2 ; 1 (5 gal.) \*Cannot be sold in CA

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
10101UV	1 gal. Red	4	9521-000	\$73.11
10102UV	1 gal. Yellow	4	9521-001	73.11
10103UV	1 gal. Black	4	9521-002	73.11
10104UV	1 gal. Blue	4	9521-003	73.11
10106UV	1 gal. Hntr. Green	4	9521-004	73.11
10107UV	1 gal. White	4	9521-005	73.11
10109UV	1 gal. Clear	4	9521-006	73.11
10101013UV	1 gal. G. Gray	4	9521-007	73.11
105C1UV	5 gal. Red	-	9520-760	291.02
105C161UV	5 gal. Yellow	-	9520-761	291.02
105C3UV	5 gal. Black	-	9520-762	291.02
105C4UV	5 gal. Blue	-	9520-763	291.02
105C444UV	5 gal. Hntr. Green	-	9520-764	291.02
105C7UV	5 gal. White	-	9520-765	291.02

## HCF-Hard Coat Finish

Multi-purpose acrylic coating that is non-flammable and has high solids content making this coating an emission control coating system. Exhibits excellent petroleum, chemical, UV, corrosion, and abrasion resistance. Typical applications include: transformers, coils, tools, fixtures, brackets, oil handling equipment, heavy machinery, and chain link fence components.

\*Cannot be sold in CA



MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
30101	1 gal. Red	4	9520-850	\$75.85
30102	1 gal. Yellow	4	9520-851	75.85
30103	1 gal. Black	4	9520-852	75.85
30104	1 gal. Blue	4	9520-853	75.85
30105	1 gal. Orange	4	9520-854	75.85
30106	1 gal. Green	4	9520-855	75.85
30107	1 gal. White	4	9520-856	75.85
30108	1 gal. Grey	4	9520-857	75.85
305C15	5 gal. Red	-	9520-860	294.42
305C226	5 gal. Yellow	-	9520-861	294.42
305C16	5 gal. Black	-	9520-862	294.42
305C19	5 gal. Blue	-	9520-863	294.42
305C165	5 gal. Orange	-	9520-864	294.42
305C164	5 gal. Green	-	9520-865	294.42
305C468	5 gal. White	-	9520-866	294.42
305C117	5 gal. Gray	-	9520-867	294.42

## Flourescents

Shipping Code: 2 ; 1 (5 gal.) \*Cannot be sold in CA

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
10121	1 gal. Fl. Red	4	9520-720	\$83.56
10122	1 gal. Fl. Yellow	4	9520-721	83.56
101023	1 gal. Fl. Pink	4	9520-722	83.56
10124	1 gal. Blue	4	9520-723	83.56
10125	1 gal. Fl. Orange	4	9520-724	83.56
10126	1 gal. Fl. Green	4	9520-725	83.56
101C174	1 gal. Fl. Purple	4	9520-726	83.56
101C57	1 gal. Phosfl.	4	9520-727	111.41

## Standard Formula - Spray

Ship. Code: 2 (1 gal.) 1 (5 gal.)

MFG #	1 GAL. COLOR	CASE QTY.	ORDER NO.	PRICE EACH
10101S	Red	4	9520-780	\$69.63
10102S	Yellow	4	9520-781	69.63
10103S	Black	4	9520-782	69.63
10104S	Blue	4	9520-783	69.63
10106S	Htr. Green	4	9520-784	69.63
10107S	White	4	9520-785	69.63
10109S	Clear	4	9520-786	69.63
10101013S	Gn. Gray	4	9520-787	69.63

MFG #	(5 GAL.) COLOR	ORDER NO.	PRICE EACH
105C01S	Red	9520-770	\$277.57
105C161S	Yellow	9520-771	277.57
105C3S	Black	9520-772	277.57
105C4S	Blue	9520-773	277.57
105C444S	Htr. Green	9520-774	277.57
105C7S	White	9520-775	277.57
10509S	Clear	9520-776	277.57
105C1013S	Gn. Gray	9520-777	277.57



DIY only: DE, IL, IN, MI, WI  
Cannot be sold in AK, CA, HI, MA, MD, NJ, Canada  
(5 gal: CA, DE, MD)

## Super Grip

An air dry, non-yellowing, synthetic rubber coating that bonds to most types of fabrics to prevent skidding and slipping on slick surfaces. Typical applications include: fabric cushions, throw rugs, clothes hangers, athletic grips, table cloths, and placemats.

Shipping Code: 2

\*Cannot be sold in CA



MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
91209-6*	11.5 oz. aerosol	6	9520-959	\$8.47

## ReRack

Vinyl/Dishwasher Rack Repair

- Won't crack, chip, or become brittle
- Resists heat, high water pressure
- Protects against rust
- Easy to use, durable, versatile

Shipping Code: 2

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
630076	1 oz. White	6	9520-976	\$5.80



**NEW  
ITEMS**

2

**BUY CASE QTY.  
DEDUCT AN  
EXTRA 13%  
(except 5 gallon)**

## Plasti Dip Camo

- Plasti Dip Camo is a special collection of Plasti Dip colors designed to match the many shades of nature.
- Specially formulated colors help you blend in with your surroundings.
- Protects outdoor gear from impact, abrasion, and the elements.

Shipping Code: 2

MFG #	COLOR	CASE QTY.	ORDER NO.	PRICE EACH
11214-6	Black	6	9520-870	\$8.50
11215-6	Tan	6	9520-871	8.50
11216-6	Brown	6	9520-872	8.50
11217-6	Green	6	9520-873	8.50
11264-6	White	6	9521-100	8.50
11265-6	Pink	6	9521-101	8.50
11266-6	Orange	6	9521-102	8.50
11267-6	Grey	6	9521-103	8.50



## Plasti Dip Metalizer

- Easy to use, gives any Plasti Dipped item a unique look.
- Adds a shimmering, metallic finish while letting the color of the Plasti Dip underneath show through.
- Metalizer colors work only as an addition to original or aerosol Plasti Dip coatings. Shipping Code: 2

MFG #	COLOR	CASE QTY.	ORDER NO.	PRICE EACH
11210-6	Silver	6	9520-875	\$8.59
11211-6	Gold	6	9520-876	8.59
11236-6	Copper	6	9520-878	8.59
11241-6	Red	6	9520-896	8.59
11242-6	Blue	6	9520-897	8.59
11243-6	Green	6	9520-898	8.59
11244-6	Violet	6	9520-899	8.59
11287-6	Graphite Pearl	6	9520-892	8.59
11288-6	Bright Gold	6	9521-104	8.59
11247-6	Br. Aluminum	6	9520-894	14.05



## Plasti Dip Enhancers

**Glossifier:** Gives any Plasti Dipped item a glossy, polished look.  
**Satinizer:** Provides satin UV protection on Plasti Dip coated items.  
**Reflex:** Reflective Safety Rubber Coating  
 Transform any surface to a reflective safety surface, any size/shape. Cost effective when compared to reflective tape. Shipping Code: 2

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
11212-6	Glossifier	6	9520-877	\$8.16
11280-6	Satinizer	6	9520-893	8.16
11292-6	Reflex	6	9521-105	37.75



## Plasti Dip Chameleon

- Use over Plasti Dipped items to provide a unique look.
- Creates a color shift appearance on Plastic Dip® coated items!
- Color shifts at different angles in sunlight.
- Air dries to a soft, satin finish. Shipping Code: 2

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
11255-6	Green/Blue	6	9521-109	\$12.36
11256-6	Turquoise/Silver	6	9521-110	12.36
11271-6	Kaleidoscope	6	9521-111	29.91



## Plasti Dip Classic Muscle

- 11 new classic muscle car colors to choose from
- Easy to apply, won't peel or crack or become brittle in extreme weather conditions.
- Excellent for use on wheels, badges and trim!
- Protects coated items against moisture, acids, abrasion, & corrosion
- Easy to remove from most surfaces when ready to return to the original surface. Shipping Code: 2

MFG #	COLOR	CASE QTY.	ORDER NO.	PRICE EACH
11301-6	Go Mango	6	9521-114	\$12.98
11302-6	Panther Pink	6	9521-115	12.98
11303-6	50's Aqua	6	9521-116	12.98
11304-6	Grabber Blue	6	9521-117	12.98
11305-6	Daytona Yellow	6	9521-118	12.98
11306-6	Tropical Turquoise	6	9521-119	12.98
11307-6	Hugger Orange	6	9521-120	12.98
11308-6	Sublime Green	6	9521-121	12.98
11309-6	Plum Crazy	6	9521-122	12.98
11310-6	Hemi Orange	6	9521-123	12.98
11311-6	Flame Red	6	9521-124	12.98



## Plasti Dip Pearlizer

- Gives a pearlescent sheen and subtle white tint to any color of Plasti Dip.
- Adds a one-of-a-kind luster to any dried, cured Plasti Dip coating. Shipping Code: 2

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
11226-6	Spray	6	9520-895	\$10.97
11289-6	Burnt Orange	6	9521-106	10.97
11290-6	Cranberry	6	9521-107	10.97
11291-6	Sapphire Blue	6	9521-108	10.97



## Plasti Dip Blaze

- A unique collection of neon Plasti Dip colors that deliver eye-catching looks for any application.
- Use anywhere you need bright, easy to see colors
- Use it to improve visibility for safety concerns
- Add can't-miss color or for a one-of-a-kind look
- Peelable easy to remove from most surfaces when ready to remove
- Protects against moisture, acids, abrasion, corrosion, skidding, and slipping
- Provides a comfortable, controlled grip
- Remains flexible and stretchy over time
- Will not crack or become brittle in extreme weather conditions

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
11218-6	Orange	6	9520-880	\$9.78
11219-6	Blue	6	9520-881	9.78
11222-6	Yellow	6	9520-882	9.78
11223-6	Pink	6	9520-883	9.78
11224-6	Green	6	9520-884	9.78
11225-6	Purple	6	9520-885	9.78



Shipping Code: 2

## Plasti Dip Glow

- New Glow-In-The-Dark rubber coating available in Green or Blue
- Protects coated items against moisture, acids, abrasion, & corrosion
- Peelable easy to remove from most surfaces when ready to remove
- Remains flexible, stretchy, and will not crack or become brittle in extreme weather conditions
- Easy to remove from most surfaces when ready to return to the original surface. Shipping Code: 2

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
11257-6	Green	6	9521-112	\$37.12
11258-6	Blue	6	9521-113	37.12



## Plasti Dip Smoke

- Special formulation with a translucent, black-gray color
- Protects coated items against moisture, acids and corrosion
- Color darkens gradually as more coats are added. 1-2 coats are light, smoky gray. Each additional coat gives Plasti Dip Smoke a darker hue—from gray to charcoal to black.
- Can be applied to nearly any substrate surface, and creates a soft, rubbery, easy-grip surface. Shipping Code: 2

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
11220-6	11 oz. Aero. Gray/Blk.	6	9520-890	\$8.30



## Primer

An air dry, clear acrylic formula specifically developed to increase adhesion of Plasti Dip. Shipping Code: 2, excluding 5 gal: 1

MFG #	DESCRIPTION	CASE QTY.	ORDER NO.	PRICE EACH
41209-6	11 oz. aero.	6	9520-904	\$10.71





# RUST-OLEUM Enamel Aerosols

INDUSTRIAL BRANDS

Shipping Code: 2 Restricted in certain states. [2]

COLOR/TYPE	HIGH PERFORMANCE 15 OZ.			INDUSTRIAL CHOICE 12 OZ.			OVERALL-ECONOMY 10 OZ.		
	MFG. NO.	ORDER NO.	PRICE EACH	MFG. NO.	ORDER NO.	PRICE EACH	MFG. NO.	ORDER PAIL	PRICE EACH
Primers	(15 oz.)						Primers (10 oz.)		
Red	V2169838	6760-038	\$ 7.08	1667830	6760-530	\$ 4.77	-	-	-
Gray	V2182838	6760-039	7.08	1680830	6760-531	4.77	V2401830	6760-782	\$ 2.55
White	-	-	-	1681830	6760-532	4.77	-	-	-
Finishes	(15 oz.)								
Crystal Clear	V2102838	6760-001	7.08	1610830	6760-492	4.77	-	-	-
Silver Aluminum(14 oz.)	V2115838	6760-002	7.08	-	-	-	-	-	-
Dull Aluminum	-	-	-	1614830	6760-493	4.77	-	-	-
Light Blue	V2123838	6760-004	7.08	-	-	-	-	-	-
Regal Blue	-	-	-	1622830	6760-494	4.77	-	-	-
Safety Blue	V2124838	6760-005	7.08	1624830	6760-495	4.77	-	-	-
True Blue	-	-	-	1626830	6760-496	4.77	-	-	-
Deep Blue	V2125838	6760-006	7.08	-	-	-	-	-	-
Safety Green	V2133838	6760-007	7.08	1633830	6760-497	4.77	-	-	-
Bright Green	V2134838	6760-008	7.08	-	-	-	-	-	-
Dark Green	V2137838	6760-009	7.08	-	-	-	-	-	-
Hunter Green	V2137838	6760-010	7.08	1638830	6760-498	4.77	-	-	-
Machine Green	-	-	-	202211	6760-519	4.77	-	-	-
Gloss Yellow	-	-	-	-	-	-	V2409830	6760-789	2.55
School Bus Yellow	-	-	-	1643830	6760-499	4.77	-	-	-
Sun Yellow	-	-	-	202212	6760-520	4.77	-	-	-
Safety Yellow	V2143838	6760-011	7.08	1644830	6760-500	4.77	-	-	-
Industrial Yellow	V2147838	6760-012	7.08	-	-	-	-	-	-
Equipment Yellow	V2148838	6760-013	7.08	-	-	-	-	-	-
Cat Yellow (Old)	V209715	6760-842	7.08	-	-	-	-	-	-
Safety Orange	V2155838	6760-014	7.08	1653830	6760-501	4.77	-	-	-
Equipment Orange	V2156838	6760-015	7.08	-	-	-	-	-	-
Safety Red	V2163838	6760-016	7.08	1660830	6760-502	4.77	-	-	-
Gloss Red	-	-	-	-	-	-	V2407830	6760-787	2.55
Bright Red	V2164838	6760-017	7.08	-	-	-	-	-	-
Cherry Red	-	-	-	1664830	6760-503	4.77	-	-	-
Banner Red	-	-	-	1666830	6760-504	4.77	-	-	-
Dusty Pink	-	-	-	202216	6760-523	4.77	-	-	-
Safety Purple	V2167838	6760-018	7.08	1670830	6760-505	4.77	-	-	-
Beige	-	-	-	1671830	6760-506	4.77	-	-	-
Almond	V2170838	6760-019	7.08	1672830	6760-507	4.77	-	-	-
Tan	V2171838	6760-020	7.08	-	-	-	-	-	-
Leather	-	-	-	1674830	6760-508	4.77	-	-	-
Chestnut Brown	V2175838	6760-022	7.08	-	-	-	-	-	-
Semi-Gloss Black	V2177838	6760-023	7.08	-	-	-	-	-	-
Ultra-Flat Black	-	-	-	1676830	6760-509	4.77	-	-	-
Semi-Flat Black	-	-	-	1678830	6760-510	4.77	-	-	-
Glossy Black	-	-	-	1679830	6760-511	4.77	V2402830	6760-783	2.55
Flat Black	V2178838	6760-024	7.08	-	-	-	V2404830	6760-785	2.55
Black	V2179838	6760-025	7.08	-	-	-	-	-	-
Light Machine Gray	V2183838	6760-026	7.08	-	-	-	-	-	-
Dove Gray	V2184838	6760-027	7.08	1684830	6760-512	4.77	-	-	-
Machinery Gray	-	-	-	202214	6760-521	4.77	-	-	-
Dark Machine Gray	V2187838	6760-028	7.08	-	-	-	-	-	-
Universal Gray	-	-	-	1686830	6760-513	4.77	-	-	-
Smoke Gray	V2188838	6760-029	7.08	1688830	6760-514	4.77	-	-	-
Flat White	V2190838	6760-030	7.08	1690830	6760-515	4.77	V2405830	6760-786	2.55
Gloss White	V2192838	6760-031	7.08	1692830	6760-516	4.77	V2403830	6760-784	2.55
Antique White	-	-	-	1696830	6760-517	4.77	-	-	-
Fleet White	V2196838	6760-032	7.08	-	-	-	-	-	-
Stainless Steel	V2119838	6760-033	9.87	-	-	-	-	-	-
Zinc Rich Coatings	(20-oz.)								
Bright Galv. Compound	V2117838	6760-040	14.53	-	-	-	-	-	-
Cold Galv. Compound	V2185838	6760-041	9.87	1685830	6760-529	5.19	-	-	-
High Heat Coatings	(15-oz.)								
Black	V2176838	6760-043	7.08	-	-	-	-	-	-
Aluminum	V2116838	6760-042	7.08	-	-	-	-	-	-
Fluorescents	(14-oz.)								
Yellow	2242838	6760-035	8.37	1642830	6760-525	5.19	-	-	-
Orange	2255838	6760-036	8.37	1654830	6760-526	5.19	-	-	-
Red	2264838	6760-037	8.37	-	-	-	-	-	-
Red-Orange	-	-	-	1655830	6760-527	5.19	-	-	-
Green	2233838	6760-034	8.37	1632830	6760-524	5.19	-	-	-
Pink	-	-	-	1695830	6760-528	5.19	-	-	-

## High Performance Enamel Aerosols



### Case Quantity: 6 cans

- The ultimate spray paint for metal
- Better gloss retention, coverage and dry time than other industrial rust-preventative spray paints
- Maximum corrosion protection
- Superior resistance to chipping, cracking, and peeling
- Higher paint solids
- Superior hide and color retention
- Smooth, durable, long-lasting finish
- Indoor/outdoor
- Most colors match Rust-Oleum Industrial Enamel gallon products for convenient touch-up
- USDA acceptable and Agriculture Canada approved

## Industrial Choice® Enamel Aerosols



### Case Quantity: 6 cans

- A multi-purpose spray paint for everyday industrial applications
- Dries fast in 12 minutes or less
- High-solids content provides faster, further coverage
- Protects against chipping, fading, and peeling
- Higher gloss than laquer based aerosols
- Superior solvent-resistance not found in laquer-based aerosols

## Overall Enamel Aerosols



### Case Quantity: 6 cans

- General purpose spray paint for use in mild environments with limited exposure to solvents, chemicals, and fumes
- Good color and gloss retention




## Spray Can Handle

Order No.: 6761-102  
Price Each: 2.54



## Tan Cover Up Ink



Spray covers old box print and dries quickly; cartons look brand new!  
**Cost Effective:** The surface appears to be just like new and can then be re-stenciled or labeled. Great cover capacity; no rub-off. Saves money on miscellaneous packing jobs.

13 oz. aerosol, Shipping Code: 2

Order No.: 9512-811 [2]  
Price Each: 4.96